

LOOKING FOR INSPIRATION?

At **one** with, and inspired by, the world


Seamlessly connect your indoor and outdoor spaces

Making the most of your smaller space

COVER FEATURE *Mode® Profiled*

BRADSTONE

Everything you need to transform any outdoor space, here in



place



Looking for inspiration to get your imagination running wild with ideas to create the outdoor space you've always dreamed of?

You've got it in **one** book – packed with new styles, including all our established favourites and capturing our 60 years' experience in bringing your ideas to life.

Let us help you transform any area – whatever the size or shape - into somewhere which fits your needs perfectly. A wonderful space to entertain with friends, kick back with a good book or just take a well earned break from the everyday hustle and bustle. And remember, you can always rely on our award winning designer, Paul Hervey-Brookes for expert advice and inspiration. Plus our network of approved Bradstone Assured installers are on hand to make sure everything runs beautifully smoothly.



The "thumb" icon indicates that the project in the photograph has been professionally installed by a Bradstone Assured landscaper. For further information about Bradstone Assured please see page 167.



This icon is to help you choose a paving product to suit your budget. The more '£' signs a product has, the more premium it is.







Brilliantly British made

It's good to know that all our concrete landscaping products are manufactured right here in the UK*.

Our quarries, factories and offices cover the length and breadth of Britain. So choose Bradstone when you want to be truly sure of quality, performance and style.

Look out for the flag as you flick through this book. It's the sign which shows you're getting the best of British.






One friendly expert you can rely on

When it comes to getting your dream garden or driveway installed, you want it done right. That's why we've created a community of Bradstone Assured installers. These are experts in landscape design, paving products and installation. Find your nearest Bradstone Assured installer at **bradstone.com/garden-landscapers**

*Excluding Carpet Stones

Find your local stockist at **bradstone.com**



06-11

Inspiration

We've a host of design inspiration, and with the help of nine-time RHS gold-medal winning garden designer, Paul Hervey-Brookes, we have guides and advice on achieving the perfect look.



Porcelain Collection

If you think porcelain is a little too delicate for paving, you're in for a very pleasant surprise. Because as well as providing a smooth, elegant finish, it also offers an amazingly hardwearing, scratch resistant and low maintenance surface.



82-115

Natural Stone Ranges

Nothing quite matches the rugged qualities and inherent beauty of natural stone. Each piece of ethically sourced sandstone, limestone, granite and slate is wonderfully unique.



116-137

Driveway **Block Paving**

We've added flair to functionality and put together a range of driveway products which are as stylish as they are practical. From classic to contemporary, there's a design to suit every home and everyone's taste.



Landscaping Features

The beauty's in those final flourishes and finishing touches. Discover a range of walling, edging, coping and stepping stones which help create beautifully original and dramatically unique results.




162-181

Making it happen

If you're not used to organising projects around the home, all this could seem a little daunting.

Don't worry. Let Bradstone take you through everything – from planning and design, to choosing exactly the right product and getting high quality, stressfree installation from one of our Bradstone Assured installers. We'll help you every step of the way from start to perfect finish.



BradstoneUK

@bradstoneuk

(i) bradstoneuk



Get the assurance of

BRADSTONE () Assured

Our nationwide network of landscapers are experts in making your garden or driveway dreams a reality. Find your nearest Bradstone Assured installer at bradstone.com



Find a stockist

Looking for your local Bradstone stockist?

There's only one place to go.

To see the Bradstone stockists nearest to you, just visit **bradstone.com**, click 'where to buy' and enter your postcode. We have stockists nationwide, so we're never far away.



44-81

Concrete Paving

Achieve stunning results which really stand the test of time. This collection offers a wide range of long-lasting, superbly stylish paving. We're constantly adding new ranges too - giving you even more choice and opening up exciting design opportunities.



Making the most of your smaller space

We're not all lucky enough to have a vast blank canvas of lawn to work with. But even the smallest spaces can be turned into relaxing and stylish havens of peace and tranquillity. All it takes is some creative thinking and the right products.

If you've got big plans for your small space, we've put together a few design tips to help make it happen.

Round outdoor furniture offers more manoeuvrability around smaller spaces.







Adding pops of colour brightens up any space, drawing attention away from the size.



Built-in seating saves space and creates an extra feature with bedding plants.

Seamlessly connect your indoor and outdoor spaces

Even with our predictably unpredictable weather to contend with, there's been a real trend towards making our outdoor spaces more comfortable and usable. And there's less of a clear divide between indoors and outdoors – with garden eating areas flowing seamlessly into kitchen/diners via French windows and bi-folding doors.

To help you make the connection, we've created a few hints, tips and suggestions to get your imagination going.





Bi-folding doors instantly extend the room to the outdoors.

Freestanding potted grass is a great architectural feature and perfect for creating sections.





Add a white painted wooden dining 🗀 table with wrought iron chairs for a truly European alfresco dining feel. Old Town paving in Grey-Green – See page 47 for more details

At **one** with, and inspired by, the world

When it comes to designing your dream garden the world is your oyster. There's a multitude of textures, colours and styles to be inspired by from places far and wide. From incorporating white washed walls inspired by the Mediterranean to creating an alfresco dining experience, you can create a world in your outdoor space that reflects your lifestyle.

There are many design styles you can call upon from around the world. To give you a head start, here are some pointers for furniture, entertaining and accessories.

Add a rustic clock to the wall to create a homely feel outside.







A Mediterranean style pizza oven is a stunning (and delicious) entertainment feature.



Handmade wicker placemats perfectly protect your table and add a natural touch.



Porcelain Collection

Our beautiful range of porcelain paving truly gives you the best of both worlds

Porcelain paving is formed by baking a mixture of clay, sand and other minerals in a high-temperature kiln producing an incredibly durable and non-porous material.

Being resistant to water absorption ensures that porcelain paving requires very little maintenance. There's no need to apply a sealant as the pavers are already stain and mildew resistant. Liquids such as oils and chemicals cannot penetrate the surface so they can easily be cleaned away.

An exceptionally dense material, porcelain paving is extraordinarily hard-wearing; something not always synonymous with porcelain. Scratch resistant too, it's perfect for those high footfall paths and for pairing with garden tables and chairs to shape stunning outdoor spaces.

Consistently accurate sizes allow porcelain paving to be laid with thin joints that help you give your garden a modern appearance. All Bradstone porcelain paving is specially produced to be used outdoors, meaning it has a slightly rougher surface texture than indoor tiles. Smoother surfaced, 10mm thick versions are available on special order to allow you to also use this paving indoors. This means you can create a harmonious flow from house to garden for the ultimate in outdoor living.

ASPERO®	
VETUSTO®	19
MANZANO®	2
MODE® PROFILED	2
MODE® TEXTURED	29
PAUTA®	33
CAUSSE®	3
TORDILLO®	37
MADERA®	39
MADERA ANTIGUA®	4

Although every effort is made to ensure accuracy, all images are for illustrative purposes only. Due to varying light conditions, it is not always possible to show the true colours of our products in a photograph. To ensure you are completely happy with the product before ordering, you can order a sample at **bradstone.com** or from our Customer Care team on **01335 372289**.







ASPERO®

Aspire to cutting-edge style

Aspero is an ultra-modern, strong and durable porcelain paving. It has a fine riven texture featuring mica crystals to add interest and sparkle to your patio and comes in four stunning shades that won't fade. It is available in a patio pack that features three different sizes for more a randomised, natural appearance. For 2018 we have added a range of Mode Profiled steps and edging that perfectly complement Aspero paving, enabling you to create a coordinated finish for your garden.

For technical details go to page 168.



Dark Grey (DG)



Silver Grey (SG)

Graphite (Gr)

! IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 160 and 184. Visit our VouTube channel BradstoneUk to watch our 'How to lay porcelain paving' video.



Aspero paving in Silver Grey








VETUSTO®

The profile of slate, the personality of porcelain

Vetusto combines the characteristics of aged slate and the benefits of modern porcelain. Its distinctive colour brings a 'lived in' feel to your garden. Being porcelain, it's strong, durable, highly resistant to staining, unaffected by weather conditions and resistant to colour fading. It is available in a patio pack, featuring three different sizes for more a random, natural appearance.

For technical details go to page 168.




Dune (Du)

! IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 160 and 184. Visit our YouTube channel BradstoneUk to watch our 'How to lay porcelain paving' video.

Discover more, visit **bradstone.com/getinspired**



MANZANO®

Create a polished, designer look

Manzano incorporates a distinctive and varied colour blend to create the ultra contemporary appearance of polished concrete. Being porcelain, you can expect exceptional strength and durability with no colour fading. Available in a choice of sizes and four shades, featuring at least 12 mosaic designs mixed at random throughout the range, to offer even greater design flexibility.

For technical details go to page 168.



Pearl (Pe)

Pearl Mosaic





Black (BI)

Black Mosaic





Grey (Gy)

Grey Mosaic





Taupe (Ta)

Taupe Mosaic

! IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 160 and 184. Visit our YouTube channel BradstoneUk to watch our 'How to lay porcelain paving' video.

Discover more, visit **bradstone.com/getinspired**

MANZANO® MOSAICS

A distinctive finish that's uniquely yours

Manzano mosaic flags are randomly designed and supplied in mixed packs to complement the plain flags in the range. They offer endless design options for your garden, to be used as edging, as corners, as a central feature or even randomly placed throughout the patio, allowing you to create something really unique.

There are at least 12 individual mosaic design motifs that we use to create our mosaic flags so that your patio is as authentic as it can be. There are three sizes of mosaic flags available. Our 600 x 600mm mosaic flags come in all four shades and the packs contain a random mix of flags, showing either one full sized motif or four smaller ones per paver to add interest to your garden design.



Example of a four motif 600 x 600mm paver.



Example of a single motif 600 x 600mm paver.

Our 600 x 300mm mosaic flags are only available in Pearl with each flag featuring eight random motifs. Our 900 x 225mm mosaic flags are also only available in Pearl with each flag featuring four random motifs.



Example of a eight motif

600 x 300mm paver.



Example of a four motif


900 x 250mm paver.







Manzano paving in Taupe with 600x600mm mosaic




MODE® PROFILED

The definition of contemporary elegance

Mode Profiled is a range of beautiful porcelain paving that adds modern sophistication to any garden. It has a fine riven texture featuring mica crystals to add interest and sparkle to your patio. Available in two sizes and four attractive shades, this paving is impactful while being incredibly easy to live with, as it is highly resistant to staining and incredibly low maintenance. For 2018, a range of steps and edging have been added in all four shades, that enable you to create a coordinated look to your garden.

For technical details go to page 169.



Beige (Bg)



Dark Grey (DG)



Silver Grey (SG)



Graphite (Gr)

! IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 160 and 184. Visit our VouTube channel BradstoneUk to watch our 'How to lay porcelain paving' video.




Mode Profiled paving in Beige



Mode Profiled paving in Dark Grey and Silver Grey, installed by Bradstone Assured landscaper Cotswold Paving and Landscaping

- www.cotswoldpaving.co.uk








MODE® TEXTURED

Beautifully sleek and stylish

Mode Textured has a finely grained finish to create the feel of the highest quality natural sandstone. It also has all the benefits of porcelain paving; strong, durable, highly resistant to staining, minimal maintenance and resistant to colour fading. Available in four shades, you can create the ultimate outdoor space.

For technical details go to page 169.





Beige (Bg)

Shell (Sh)





Dark Grey (DG)


Graphite (Gr)

! IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 160 and 184. Visit our VouTube channel BradstoneUk to watch our 'How to lay porcelain paving' video.



Mode Textured paving in Beige Discover more, visit bradstone.com/getinspired



PAUTA®

Maximum strength, minimalist styling

Pauta features a speckled design to create the look of natural granite with all the benefits of modern porcelain. You can expect exceptional strength, durability, no colour fading and minimal maintenance. Available in two sizes with two different shades, you can mix and match to suit your style.

For technical details go to page 169.






Silver Grey (SG)

Mid Grey (MG)

! IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 160 and 184. Visit our YouTube channel BradstoneUk to watch our 'How to lay porcelain paving' video.



Pauta paving in Silver Grey

Discover more, visit bradstone.com/getinspired

35



££££

Causse paving in Light Grey

CAUSSE®

Porcelain paving with a spot of individuality

Causse replicates all the distinctiveness and individuality of Belgian Blue limestone, even down to the characteristic white flecks. Being porcelain, you can expect exceptional strength, durability, no colour fading and minimal maintenance. Available in one size with two different shades you can mix and match it to suit your style.

For technical details go to page 170.





Light Grey (LG)


Dark Grey (DG)

! IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 160 and 184. Visit our VouTube channel BradstoneUk to watch our 'How to lay porcelain paving' video.



Causse paving in Dark Grey



TORDILLO®

A marvel in marble

Tordillo combines the world of beautiful natural marble with the benefits of modern porcelain. Its stunning swirls and exquisite veining are complemented by exceptional strength, durability, no colour fading and minimal maintenance. Available in two sizes you can create a random appearance that flows across any patio.



White (Wh)

For technical details go to page 170.

! IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 160 and 184. Visit our YouTube channel BradstoneUk to watch our 'How to lay porcelain paving' video.



MADERA®

Enjoy all the natural good looks of timber – with porcelain

Madera is a clever porcelain alternative to traditional wooden decking. This beautiful paving looks just like timber but has all the benefits of modern porcelain. It offers the beauty of real wood while also being strong, durable, highly resistant to staining, unaffected by weather conditions and resistant to colour fading. Available in beautiful Birch and Oak shades.

For technical details go to page 171.





Birch (Bir)

Oak (Oa)

! IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 160 and 184. Visit our YouTube channel BradstoneUk to watch our 'How to lay porcelain paving' video.



Madera paving in Birch





MADERA ANTIGUA®

Beautiful paving does not grow on trees

Madera Antigua brings an authentic aged timber look to any garden, but without the warping or degradation associated with real wood.

Being porcelain, it's strong, durable, highly resistant to staining, unaffected by weather conditions and resistant to colour fading. Available in three colours, each with subtle shading variations for a realistic wood appearance.

For technical details go to page 171.





Grey (Gy)

Birch (Bir)



Oak (Oa)

! IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 160 and 184. Visit our VouTube channel BradstoneUk to watch our 'How to lay porcelain paving' video.



Madera Antigua paving in Grey

Concrete Paving

A range of concrete paving that combines style, strength and design flexibility

Concrete, or reconstituted stone paving, is formed by moulding a mix of stone, sand, cement and water before being left to cure.


The result is a strong, durable paving with endless colour and surface texture options, combinations of which can help to create a contemporary or traditional look within your garden.

Concrete paving moulds are created from perfect versions of the desired shape called 'masters' and at Bradstone we produce them ourselves, by hand, the only way to ensure the highest quality.


We're even able to replicate normally scarce and time-worn reclaimed natural stone but with better algae resistance and consistent thickness that suits all budgets.


OLD TOWN®	47
BAMBURGH MILL	53
CARPET STONES	55
STONEMASTER®	
PANACHE GROUND	61
MAHINA™	63
OLD RIVEN	65
AGED RIVEN	
ASHBOURNE™	
TEXTURED	
EDALE	80
PEAK	81

Although every effort is made to ensure accuracy, all images are for illustrative purposes only. Due to varying light conditions, it is not always possible to show the true colours of our products in a photograph. To ensure you are completely happy with the product before ordering, you can order a sample at **bradstone.com** or from our Customer Care team on **01335 372289.**











Above: Old Town paving with slate on edge paving in Grey-Green Below: Old Town paving in Dark Grey



OLD TOWN®

Recall the look and feel of days gone by

Old Town paving is perfect for creating a garden with a charming, traditional look. Made from moulds formed from flooring taken from a derelict 19th century Lancashire Cotton Mill, its finish looks just like authentic reclaimed stone. With the appearance of timeworn York flagstones incorporating original tooling marks and weathered edges, there are over 30 different profiles in the range to give a truly random appearance to your patio. It is available in five colours and a unique patio kit which includes slate on edge feature paving.

For technical details go to page 172.



Grey-Green (GG)



Dark Grey (DG)



Weathered Limestone (WL)




Cotswold (Ct)



Old Quarried (OQ)

Old Qualified (O

Discover more, visit **bradstone.com/getinspired**



BAMBURGH MILL

Vintage style paving, perfect in a modern setting

Bamburgh Mill has a beautiful weathered appearance that harks back to vintage style paving. Recreated from 17th century originals it looks every inch like a flagstone worn over time. Available in a patio pack that features three complementary colours it's ideal for creating a modern garden that incorporates the paving style of the past.

For technical details go to page 173.







Olde Blend (blend of three shades) (OB)



CARPET STONES

Liven up your outdoor space – give it a carpet!

Carpet Stones are easy to lay to achieve an intricate rustic design in your garden. The cobbles are pre-laid on an underlying flexible mat, which can be simply cut and shaped with a pair of scissors to fit any awkward areas or to create elaborate designs, effortlessly. For a realistic cobble effect just cut and interlock the mats. Carpet Stones can also be used on your driveway and are available in Charcoal or Rustic Red.

For technical details go to page 173.




Charcoal (Ch)



Rustic Red (RR)







STONEMASTER®

Contemporary paving that's long on style, quality and durability

StoneMaster is a long aspect paving which can be used to create the illusion of more space in your garden. Available in three buff shades to replicate natural sandstone and three grey shades for natural granite, they're sold in single colour packs which you can mix to create the perfect look. It's also treated with Bradstone Surface Protection for long-lasting resistance against stains such as oil, grease and moss. You can continue the look around your whole home with StoneMaster block paving – see page 119.


For technical details go to page 173.



Light Grey (LG)




Light Buff (LB)




Mid Grey (MG)



Mid Buff (MB)



Dark Grey (DG)



Dark Buff (DB)



NOTE: This paving is sold in single colour packs.

To achieve the appearance shown in the image please order packs of all

To achieve the appearance shown in the image please order packs of all 3 shades.

PANACHE GROUND

The easy way to make any patio sparkle

Panache Ground can make your patio sparkle with its smooth surface and light reflecting particles. Available in three stunning shades of grey, which can be mixed to create your own unique outdoor area. And, with 83% recycled content, it's kinder to the environment too.


For technical details go to page 173.



White (Wh)



Silver Grey (SG)



Midnight Grey (MG)



Discover more, visit **bradstone.com/getinspired**



MAHINATM NEW RANGE

Contemporary paving given a touch of style

Mahina paving gives any garden a modern and refined feel with its stylish textured finish. It is available in two shades of grey, both with a contemporary fleck to replicate granite, allowing you to create a unique look. Panache matching walling and edging can be used to complement the finished appearance.


For technical details go to page 173.



Light Grey (LG)



Dark Grey (DG)



Mahina paving in Dark Grey





OLD RIVEN

Visual appeal with options galore

Old Riven is perfect for creating an affordable patio area that doesn't compromise on style and quality. Its authentic good looks with straight sawn edge details are inspired by natural quarried stone. It is available in single sizes, circles and a patio pack, which includes a range of different shades and sizes for you to mix together for a bespoke finish.

For technical details go to page 174.



Autumn Bronze (ABr)



Autumn Cotswold (AC)




Autumn Gold (AG)



Autumn Silver (AS)



Old Riven circle used as a winding path in Autumn Silver.



AGED RIVEN

Traditional style and charm comes of age

Aged Riven combines the old and the new in perfect harmony. Its distinctive weathered profile gives the paving a traditional and timeworn appearance, while its smooth edge adds a modern feel. Random style patio packs are available in all three shades but a uniform pattern can be achieved by using the single sized Dark Grey paving.

For technical details go to page 174.







Cotswold (Ct)




York Brown (YB)





Aged Riven paving in York Brown





ASHBOURNE™

Give your patio a rustic feel

Ashbourne is a distinctive style paving which features a riven surface and fettled edges that together create a stunning, authentic natural stone appearance. It is available in patio packs containing three different sized pavers and a choice of five colours, so you can create a garden feature that is naturally eye-catching.

For technical details go to page 175.









Cotswold (Ct)

Antique Cotswold (AnC)

York Brown (YB)





Weathered Grey (WG)







Ashbourne paving in Antique Cotswold

Ashbourne paving in York Brown



TEXTURED

Style and practicality working together in perfect harmony

Textured paving offers the perfect balance of flair and function. Available in a range of four colours, up to four sizes and a circle in the buff shade, it incorporates fine white limestone chippings to provide a softened appearance. It is also durable and hardwearing enough to retain its good looks over the years.

For technical details go to page 175.







Red (Rd)





Textured paving in Red

EDALE

A great value, traditional paving

Edale is a gentle riven paving with smooth edges inspired by the stony footpaths seen on country walks. It's an affordable and traditional paving range that doesn't compromise on style or decorative appeal, and is available in cream and grey.

For technical details go to page 176.





Cream (Cr)

Grey (Gy)





PEAK


Utility paving

Peak utility paving is a tough, hard-wearing and low-cost paving solution making it the perfect base for utility areas and sheds. However, it's not recommended for feature patios. Available in both riven and smooth finishes and in three colours, although as a utility paving product these will vary.


For technical details go to page 176.



Buff (Bf)



Grey (Gy)







Natural Stone Ranges

When it comes to providing paving choice and individuality, nothing quite matches up to natural stone

For Bradstone, natural stone encompasses ranges using natural sandstone, limestone, granite and slate. All ethically sourced from around the world, the beauty of natural stone paving is that it is truly unique. Each paver is different from the last with variations of colour and texture determined by nature over thousands of years.

Our large variety of stone types allows us to offer products that range from the traditional, and quintessentially British, to contemporary paving that is the height-of-fashion. You might want to combine your period property with our long-established natural sandstone or your modern, minimalistic apartment with our sleek natural granite.

All natural stone is incredibly strong and hard-wearing of course, but at Bradstone we go to extra lengths to source only the finest quality stone. Our stone's low water absorbency ensures it is easier to maintain and has a greater resistance to weathering.

SMOOTH NATURAL SANDSTONE	85
GRAND NATURAL SANDSTONE	93
NATURAL GRANITE	95
NATURAL SLATE	99
HONEYMEDE LIMESTONE	103
RIVERWASHED LIMESTONE	105
NATURAL LIMESTONE	107
NATURAL SANDSTONE	109
RI ENDED NATURAL SANDSTONE	115

Although every effort is made to ensure accuracy, all images are for illustrative purposes only. Due to varying light conditions, it is not always possible to show the true colours of our products in a photograph. To ensure you are completely happy with the product before ordering, you can order a sample at **bradstone.com** or from our Customer Care team on **01335 372289.**







Discover more, visit bradstone.com/getinspired









Top: Smooth Natural Sandstone paving in Ivory, Middle: Smooth Natural Sandstone paving in Silver Grey (sealed), Bottom: Smooth Natural Sandstone paving in Rainbow



SMOOTH NATURAL SANDSTONE

A contemporary paving solution as unique and individual as you are

Smooth Natural Sandstone is beautifully distinctive with its superb colour and veining variations. Available in seven striking shades, there's sure to be a perfect option for your outdoor space. For 2018, a range of lightly textured steps have been added to enable you to create a coordinated finish for your garden. See page 157 for more details.

For technical details go to page 176.



Dark Grey (DG)

Rainbow (R)



! IMPORTANT LAYING INFORMATION:

Natural stone needs to be handled very carefully when installing to minimise staining and we would advise that Smooth Natural Sandstone is sealed prior to laying. If this is not possible it should be covered up as it is installed and sealed as soon as it is laid.

Sunset (Su)



GRAND NATURAL SANDSTONE

Grand by name, grand by nature

Grand Natural Sandstone has been developed with larger projects in mind. It is a smooth paver with a fine grained surface that really brings the wow factor. Available in an elegant Caramel shade it also comes in four different sizes, the largest being 1250x750mm. For 2018, we have added a patio pack, allowing you to use a mix of large and small flagstones to create a random finish.


For technical details go to page 176.



Caramel (Car)

Discover more, visit **bradstone.com/getinspired**






NATURAL GRANITE

Combining outstanding natural beauty with long-lasting durability

Natural Granite brings a modern and minimalist feel to any outdoor space thanks to its straight machine cut edges, textured top surface and choice of two beautifully simple colours. Available in four sizes including a large aspect 900x900mm. Our Natural Granite setts are an addition to the range. Perfect for borders and driveways, as well as patios, they are available in one size and three shades.

For technical details go to page 177.



Mid Grey (MG)

Silver Grey (SG)








Mid Grey (MG)

Silver Grey (SG)

Black (B)



Natural Granite setts in Dark Grey with Natural Granite paving in Silver Grey and Mid Grey



NATURAL SLATE

A paving solution like no other

Natural Slate creates a unique outdoor space every time. Every piece of slate is individual with its own textures and shades. And it's hand riven and diamond sawn for a crisper edge. Available in three shades to suit different garden styles; Blue-Black is perfect for a modern look; Grey-Green is perfect for achieving the shabby-chic trend; Vijaya Gold is the perfect all-rounder for traditional and modern gardens.

For technical details go to page 177.



Blue-Black (BB)



Grey-Green (GG)



Vijaya Gold (VG)






Natural Slate paving in Vijaya Gold



HONEYMEDE LIMESTONE

Traditional garden settings were made for this

Honeymede Limestone is distinguished by its natural veining and unique texture and profile. It's set apart from Natural Limestone by its beautiful soft and warm hues which run through it and its more rugged finish. The result is paving that offers traditional style and natural good looks. It's available in a patio pack that features six different sizes.



Honeymede (H)

For technical details go to page 177.



RIVERWASHED LIMESTONE


Paving awash with style and charm

Riverwashed Limestone paving features a naturally split and partially rubbed surface finish with sawn edges, giving it a beautifully clean and even finish. It's the perfect accompaniment for creating a stunning traditional garden design that has an edge of individuality. It is available in a patio pack that features four different sizes.



Steel Grey (StG)

For technical details go to page 178.



NATURAL LIMESTONE

Add a touch of drama and distinction to your garden

Natural Limestone offers outstanding beauty with unique shades and distinctive natural veining. At the same time, it has superb strength and durability, ensuring your patio looks great for years to come. Available in two stunning colours, Blue-Black and Azure, each colour varies in shades due to the natural element of the paving. As a matter of course Natural Limestone will fade in the sunlight, adding to its beauty, however if you would prefer to keep the colours vibrant we would recommend sealing the paving before installation.

For technical details go to page 178.






Blue-Black (BB)












Above: Natural Sandstone paving in Heather Ridge
Discover more, visit **bradstone.com/getinspired**111

NATURAL SANDSTONE


Helping you create a garden feature that's unique

Natural Sandstone will give your patio that touch of exclusivity. The many natural tonal variations, differing riven profiles and exquisite natural veining makes every paving slab unique. Available in a range of seven beautiful natural shades, varied shapes and individual textures you have a wealth of design possibilities.

For technical details go to page 179.













Sunset Buff (SB)

Silver Grey (SG)



Burnt Umber (BU)







BLENDED NATURAL SANDSTONE

An economical calibrated paving with natural quality

Blended Natural Sandstone calibrated patio kits are hand cut and hand dressed to give a more rustic finish. They come in four specially selected colour blends and the slabs are lighter in weight than standard natural sandstone, making them easier to handle and ideal for those budget projects that still require a natural product. They are available in four blended shades, all with patio pack and single sized paving options.

For technical details go to page 178.





Imperial Green (ImG)

Rustic Grey (RG)





Rustic Buff (RB)

Burnt Umber (BU)











Natural Stone

Driveway block paving

Create the perfect first impression for your home with a driveway that is as aesthetically pleasing as it is practical

A driveway should be a perfect blend of flair and function, of desirability and durability. And Bradstone's range of driveway block paving products provides a variety of driveway solutions that are the very epitome of style and practicality.

Available in a range of traditional and contemporary designs, not to mention an array of different colours and finishes, Bradstone has a driveway to suit everyone's tastes.

STONEMASTER®	119
WOBURN RUMBLED	123
WOBURN RUMBLED INFILTA	125
WOBURN ORIGINAL	127
MONKSBRIDGE	129
DRIVEFLAIR	131
LUMLEY COBBLE®	133
DRIVEWAY	135
DRIVEWAY INFILTA	136
KERBS	137

Woburn Rumbled Infilta paving in Graphite – See page 125 for more details

Although every effort is made to ensure accuracy, all images are for illustrative purposes only. Due to varying light conditions, it is not always possible to show the true colours of our products in a photograph. To ensure you are completely happy with the product before ordering, you can order a sample at **bradstone.com** or from our Customer Care team on **01335 372289.**




STONEMASTER® BLOCK PAVING

Mastering the look and feel of natural granite

StoneMaster is a superbly realistic substitute for natural granite. Available in three grey shades you can achieve the exact look of natural granite in your driveway. StoneMaster is available in mixed sized packs containing four different sized pavers or in the ultra contemporary 300x100 single size. It's also treated with Bradstone Surface Protection for long-lasting resistance against stains such as oil, grease and moss.

Why not coordinate your driveway with your garden paving? StoneMaster is also available in flag paving so you can continue the look around your whole home. See page 57 for more information.

For technical details go to page 180.




Dark Grey (DG)



Mid Grey (MG)



Light Grey (LG)







WOBURN RUMBLED

Create an unforgettable first impression

Woburn Rumbled brings a delightful cobble style block paving to any driveway. We still use the traditional method of rumbling which gives the most authentic finish on the whole block. This block paving features a weathered appearance and mottled effect, which helps create a sense of real period charm and character. Available in five shades, each perfectly complements the cobble style.

For technical details go to page 180.



Autumn (Au)



Rustic (Ru)



Brindle (Bd)



Graphite (Gr)



Fossil Buff (FB)



Kerb in Autumn (Au)




Kerb in Rustic (Ru)



Kerb in Graphite (Gr)

Get a feel for any of our products with a **free sample**. Visit **bradstone.com**



WOBURN RUMBLED INFILTA

When it pours, this stylish paving reigns

Woburn Rumbled Infilta not only offers the distinctive period charm and character of Woburn Rumbled block paving, but when used with a permeable sub-base it provides a surface that filters surface water away, stopping it from collecting on the driveway. This is particularly important in light of stringent legislation regarding front driveways*. It's available in three shades, all of which perfectly complement the cobble style.

For technical details go to page 180. To complete the Infilta system see our range of Block Paving Fixing Products on page 161.



Autumn (Au)




Graphite (Gr)



Rustic (Ru)

Discover more, visit **bradstone.com/getinspired**

^{*}Please see ${\bf bradstone.com}$ for more information



WOBURN ORIGINAL

Tough enough to cope, stylish enough to stand out

Woburn Original is everything you need from a driveway. It's tough and uncompromising in performance to withstand the rigours of daily vehicle use. It's also beautifully contemporary with style cues from natural sandstone setts and is available in three shades.

For technical details go to page 180.



Autumn (Au)





Graphite (Gr)

Rustic (Ru)

MONKSBRIDGE

A bridge to the look and style of yesteryear

Monksbridge is perfect for the driveways of traditionally styled properties. With its subtle hues and authentic weather worn appearance, this distinctive block paving adds the rustic flair of a bygone age. It's available in five colour options, including the new shades for 2018 of Grey-Green and Woodland, all of which come in a pack that includes four different sizes. It's the ideal solution if you're looking for a rumbled look paving without the added cost. Monksbridge can also be used to create a natural stone courtyard effect in a garden setting.

For technical details go to page 180.







Cinder (Cin)

Royale (Roy)

Croft (Cro)






Woodland (Wo)


Grey-Green (GG)







Driveway



DRIVEFLAIR

The pencil edge proving a huge draw

Driveflair brings a visual edge to your driveway with strong colouring and specially selected Cornish granite that sparkles on the surface. With a distinctive pencil edge chamfer, it has a sleek, smooth look. It's available in two beautifully blended shades for maximum colour impact and each comes in a mixed pack featuring four different sizes.

For technical details go to page 181.





Brindle (Bd)

Graphite (Gr)





LUMLEY COBBLE®


Capture the spirit of a bygone age

Lumley Cobble is the ideal way to give your driveway traditional charm. This beautiful cobble effect block paving is equally at home in the town or countryside. Available as a mixed pack featuring eight different sized cobbles which you mix to create the perfect cobbled look.



Stone (Stn)

For technical details go to page 181.



DRIVEWAY

Real kerb appeal at an appealing price

Driveway is a stylish block paving which adds visual interest to any driveway. It's as easy on the eye as it is on the pocket, combining affordability with exceptional durability making it perfect for driveways as well as patios and paths. Available in seven different colours and in one size.

For technical details go to page 181.



Autumn (Au)



Burnt Oker (BO)



Brindle (Bd)



Charcoal (Ch)



Buff (Bf)



Red (Rd)



Grey (Gy)

135 Discover more, visit bradstone.com/getinspired


DRIVEWAY INFILTA

The driveway that drains as it rains

Driveway Infilta is both stylish and practical. When it's laid as part of a permeable solution, any water that lands on it simply drains away between the blocks, stopping surface water from collecting. Importantly, this satisfies all the stringent legislation regarding front driveways. Go to **bradstone.com** for more information

For technical details go to page 181.

To complete the Infilta system see our range of Block Paving Fixing Products on page 161.



KERBS

The perfect finishing touch for block paving

Kerbs are a great way to complete the look of your driveway, patio or path. Effortlessly combining style and practicality, while perfectly complementing any block paving and preventing vehicular overrun. Available in a rumbled finish in the large size or a cast finish in the large, medium and small sizes, the range comes in a variety of shades to complement or contrast your driveway. Accessories such as radius and corner units are also available see page 181 for details.

For technical details go to page 181.







Red (Rd)



Brindle (Bd)



Charcoal (Ch)



HB internal radial BN upright internal BN upright external

HB upright

internal angle

LK/D



HB/BN main unit

LK

HB upright external angle LK/E



radial block **LK/BI** radial block **LK/BE**

LK

BN upright internal angle LK/F



HB/BN main unit HB/BN main unit laid flat **LK**



HB external radial block **LK/C**



BN upright external angle LK/G



Medium kerb Small kerb



Main unit SK

Main unit

MK



External angle

SK/A

External radius SK/D



SK/B

137

Landscaping Features

Finishing touches that make all the difference

Your perfect garden has your own distinctive stamp on it and Bradstone gives you the opportunity to create the finish of your dreams. Whether you want to add a sense of shape with a wall, define beds with edging, accessorise with a stylish planter or create a stunning pathway, our Landscaping Features provide a touch of finesse that will make your garden yours – and yours alone.

WALLING	140
EDGING	148
STEPS	. 157
STEPPING STONES	159
FLAG PAVING FIXING PRODUCTS	160
BLOCK PAVING FIXING PRODUCTS	161



Although every effort is made to ensure accuracy, all images are for illustrative purposes only. Due to varying light conditions, it is not always possible to show the true colours of our products in a photograph. To ensure you are completely happy with the product before ordering, you can order a sample at **bradstone.com** or from our Customer Care team on **01335 372289.**



WALLING

Add a sense of shape, structure and style

Walling is not only an attractive addition to any garden, it can also help to shape and structure your garden design; connecting different elements and creating eye-catching features such as raised beds, planters, screens, ponds or even barbecues. Available in a wide range of shapes, styles, colours, textures and sizes you're sure to find the perfect fit for your needs.

NATURAL STONE WALLING SLIPS

New for 2018, this range of walling slips comes in Natural Slate, Natural Sandstone and Smooth Sandstone with a set of complementary shades. For a superb natural stone look, they just stick to a block wall using Bradbond walling adhesive. The Natural Slate and Natural Sandstone slips are Z-shaped giving the appearance a random look, while the Smooth Sandstone ones are individual blocks in a mix of sizes to give a more formal, contemporary look to your wall. There are also end pieces available to finish off straight walls. Natural Stone or Porcelain paving is ideal as complementary coping for these walls.

	Nominal size (mm)	Colours	Units/ pack	Pack weight (t)	m²/pack	Units/m²
Sandstone Slips*	650x150	FB/SB/SG	6	0.02	0.54	11.11
Sandstone Slip Ends*	400/250x150	FB/SB/SG	6x2	0.02	0.54	n/a
Slate Slips^	650x150	BB/RG	6	0.02	0.54	11.11
Slate Slip Ends^	400/250x150	BB/RG	6x2	0.02	0.54	n/a
Smooth Sandstone Slips†	Mixed Size	SB	14	0.02	0.36	n/a

Thickness: *17-30mm, ^10-20mm, ¹15mm Joint width: Butt Country of Origin: India Mixed size pack contains: 2 No. 500x100, 2 No. 400x100, 2 No. 300x100, 4 No. 200x100, 4 No. 100x100





Landscaping Features

Natural Sandstone walling slip Fossil Buff **(FB)**



Natural Sandstone walling slip Sunset Buff **(SB)**



Natural Sandstone walling slip Silver Grey **(SG)**



Natural Slate walling slip Blue-Black (BB)



Natural Slate walling slip Rustic Gold **(RG)**



Smooth Sandstone walling slip Sunset Buff **(SB)**

2222

MODE® PROFILED COPING

Available in four shades, this coping is ideal to complement or contrast Aspero and Mode Profiled paving, depending upon the look you desire.



Thickness: 20mm Joint width: Butt

900x80



coping

Installed by Bradstone Assured landscaper English Landscapes - www.englishlandscapes.net

4.50

2222

NATURAL SANDSTONE WALLING

A perfect complement to Natural Sandstone paving, these fully rumbled, double-sided blocks are easy to use for both straight and curved walls. Also ideal for step risers, fire pits or barbecues.





Fossil Buff (FB)

Modac (M)






Fossil Buff coping (FB)

Modac coping
(M)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack linear m/ pack	Units/m² Units/ linear m
Mixed sizes	n/a	FB/M	285	1.15	5.70	n/a
Coping*	450 x 160	FB/M	28	0.25	12.88	2.20
Thickness: 55-75mm, *35-40mm Joint width: 10-15mm Country of Origin: India Mixed size pack contains: 285 blocks (60 No. 325x100, 100 No. 270x100 and 125 No. 215x100mm)						





PANACHE WALLING

This predominantly double-sided walling works beautifully with the Panache Ground and Mahina paving range. The coping can also be laid as a stepping stone or as part of a patio design.





Midnight Grey (MG)

Silver Grey (SG)

Midnight Grey coping (MG)

Silver Grey coping (SG)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack linear m/ pack	Units/m² Units/ linear m
Full block	440 x 140	MG/SG	64	1.00	3.94	16.20
Coping	900 x 150	MG/SG	40	0.66	36.0	1.10

Thickness: 100mm Joint width: Butt

OLD TOWN® WALLING

This single block of reclaimed Yorkstone profile walling gives the effect of a number of smaller blocks and the two shades work perfectly with Old Town paving. The false joints can be mortared for an even more realistic finish.





Grey-Green (GG)

Weathered Limestone (WL)





Grey-Green (GG)

Weathered Limestone (WL)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack linear m/ pack	Units/m² Units/ linear m
Full block	450 x 145	GG/WL	48	0.86	3.42	14.00
Coping*	460 x 195	GG/WL	11	0.09	5.06	2.10

Thickness: 130mm, *45mm Joint width: 10mm

Discover more, visit **bradstone.com/getinspired**

MADOC WALLING

This single block of slate profile walling gives the effect of separate slate pieces laid together. Unique Z-shaped blocks make it easy to build walls and planters.








Weathered Cotswold full block (WcT)

sneck (WcT)

Weathered Cotswold Weathered Cotswold coping (WcT)

	Nominal size (mm)	Colours	Units/ pack	Pack weight (t)	m²/pack linear m/ pack	Units/m² Units/ linear m	
Full block	580 x 100 x 140	WcT	50	0.76	3.30	15.20	
Sneck	110 x 100 x 70	WcT	50	0.08	n/a	n/a	
Coping*	470 x 130 x 45	WcT	60	0.36	28.80	2.10	
Joint width: Butt, *10mm							



COUNTRYSTONE WALLING

This fully rumbled, mainly double-sided product - available in three sizes - has been designed to complement Textured, Old Riven and Ashbourne paving. Finish off your wall with Textured coping.



Buff (Bf)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack linear m/ pack	Units/m² Units/ linear m
Full block	290 x 136	Bf	57	0.46	2.50	22.80
Full block	290 x 63	Bf	228	0.89	5.00	45.70
Full block	215 x 63	Bf	288	0.92	4.70	60.90

Thickness: 90mm Joint width: 10mm



ANCESTRY® WALLING

This pitched effect block is perfect for either straight or curved walls. Available in two shades and a mixed size or single-sized pack.






Abbey Original (AbO)

Abbey Storm (AbS)

	Nominal size (mm)	Colours	Units/ pack	Pack weight (t)	m²/pack linear m/ pack	Units/m² Units/ linear m
Walling pack	Mixed sizes	AbO/AbS	180	0.76	4.22	n/a
Full block	225 x 65	AbO/AbS	200	0.73	3.55	56.70
Coping*	530 x 300	AbO/AbS	14	0.30	7.56	1.90
Coping*	530 x 150	AbO/AbS	14	0.12	7.56	1.90
Thickness: 100	mm, *50mm Joint	width: 10mm				

Mixed size pack contains: 180 blocks (80 No. 225x65, 60 No. 300x65 and 40 No. 225x140mm)



TEXTURED COPING

This coping works perfectly together with Countrystone and Pitched walling. Also ideal for use as a stepping stone or long aspect paver.



Grey (Gy)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack linear m/ pack	Units/m² Units/ linear m
Textured coping	580 x 275	Bf/Gy	20	0.37	11.80	1.70
Textured coping	580 x 136	Bf/Gy/DG	24	0.22	13.92	1.70

Thickness: 50mm Joint width: 10mm



PITCHED WALLING

These pitched, predominantly double-sided single blocks can be used to easily build both straight and curved walls. It is available in three sizes and two shades and is designed for use with textured coping.





Buff (Bf)

Grey (Gy)

	Nominal size (mm)	Colours	Units/ pack	Pack weight (t)	m²/pack linear m/ pack	Units/m² Units/ linear m
Pitched walling	290 x 136	Bf/Gy	50	0.45	2.20	22.80
Pitched walling	290 x 63	Bf/Gy	216	0.86	4.70	45.70
Pitched walling	215 x 63	Bf/Gy	202	0.65	3.30	60.90

Thickness: 90mm Joint width: 10mm



SCREENWALL WALLING

Elegantly contemporary, this double-sided block is mainly used to renovate existing walling. The saddleback coping and pyramid pier caps complement Screenwall or brick walls perfectly, and come in two sizes.









(Leaf block) Off-White **(OW)**

(Pyramid pier cap) Off-White **(OW)**

(Saddleback coping)
Off-White (OW)

	Nominal size (mm)	Colours	Units/ pack	weight (t)	linear m/ pack	Units/m² Units/ linear m
Leaf block	290 x 290 x 90	OW	48	0.49	4.33	11.10
Saddleback coping	610 x 280 x 55	OW	12	0.18	7.44	1.60
Saddleback coping	610 x 140 x 55	OW	24	0.18	14.88	1.60
Pyramid pier cap	380 x 380	OW	12	0.18	n/a	n/a
Pyramid pier cap	305 x 305	OW	24	0.21	n/a	n/a
Joint width: 10mm						





MODE® PROFILED EDGING

An ideal finish to your porcelain patio, it can be laid upright or flat, depending upon the look you require. It's available in four shades to complement or contrast Aspero and Mode Profiled paving.



Beige (Bg)



Silver Grey (SG)





Dark Grey (DG)

Graphite (Gr)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	linear m/ pack	Units/ linear m
Mode Profiled edging	900x80	Bg/SG/ DG/Gr	5	0.02	4.50	1.11

hickness: 20mm Joint width: 5mm

SMOOTH NATURAL SANDSTONE ROUND TOP EDGING

This edging creates a superb effect when it's laid against a contrasting shade. It also complements Smooth Natural Sandstone paving.



Rainbow (R)

Smooth Natural Sandstone [†] 600 x 150 R 120 0.49 72.00 1.65 Top edging 120 0.49 72.00 1.65		Nominal size (mm)	Colours	Units/pack	Pack weight (t)	linear m/ pack	Units/ linear m
	Sandstone [†] Round	600 x 150	R	120	0.49	72.00	1.65

Thickness: 20mm Joint width: 5mm Country of Origin: India †Please note: Natural stone varies in colour and mineral content

EDGING

The definition of stylish borders

Edging is a great way to define borders and herbaceous beds to make a real design statement. With our comprehensive choice of styles in both natural stone and concrete you can perfectly coordinate your edging with many of our paving options.

333

RUSTIC ROPE TOP EDGING

Available in four distinctive and attractive colourways, this traditional-style rope top edging has matching corners which make it easier to change direction.



Cotswold (Ct)

e Red (AR)





Old Granite (OG)

Terracotta (T)

Dollies Left to right: Antique Red (AR), Cotswold (Ct), Old Granite (OG) and Terracotta (T)

<u></u>	9	9	9
	OF THE		1
	90	- 88	п

	Nominal size (mm)	Colours	Units/ pack	Pack weight (t)	linear m/ pack	Units/ linear m
Top edging	600 x 150	AR/Ct/OG/T	38	0.30	22.80	1.66
Top corner dolly	250 x 50	AR/Ct/OG/T	20	0.04	1.00	n/a

Thickness: 50mm Joint width: 5mm



NATURAL SANDSTONE EDGING

This versatile riven profile can be used as both edging and coping for walling. It beautifully complements Natural Sandstone paving.






Fossil Buff (FB)

B) Modac (M)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	linear m/ pack	Units/line- ar m
Natural Sandstone [†] edging	450 x 160	FB/M	28	0.25	12.88	2.20

Thickness: 35-40mm Joint width: 10-15mm



OLD TOWN® EDGING

This traditional round top edging has a pleasantly weathered Yorkstone-effect profile. It complements Old Town paving and walling.





Grey-Green (GG)

Weathered Limestone (WL)

	Nominal size (mm)	Colours	Units/ pack	Pack weight (t)	linear m/ pack	Units/ linear m
Old Town edging	450 x 200	GG/WL	34	0.34	15.30	2.20

Thickness: 50mm Joint width: 10-15mm



PANACHE EDGING

In two elegantly refined colour variations, this long aspect edging complements both Panache and Mahina paving. It can also be laid as stepping stones or as part of a patio.

Silver Grev (SG)	Midnight Grey (MG)

3 1 3 7

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	linear m/ pack	Units/ linear m
Panache edging	900 x 150	MG/SG	14	0.23	12.60	1.10

Thickness: 50mm Joint width: 5mm

223

ECO COUNTRYSIDE EDGING

With a distinctive and stylish black fleck shade which closely resembles natural granite, this environmentally-friendly edging has 82% recycled or reclaimed material.



	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	linear m/ pack	Units/ linear m
Eco Countryside edging	914 x 150	BF	40	0.68	36.56	1.09

Thickness: 50mm Joint width: 5mm



ANCESTRY® EDGING

Each single piece of this stone on-end edging looks like ten pieces. It can also be used as coping to create a new and strikingly different effect.






Abbey Storm (AbS)

Abbey Original (AbO)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	linear m/ pack	Units/ linear m
Ancestry edging	510 x 160	AbO/AbS	30	0.57	15.60	2.00

Thickness: 125mm Joint width: 10-15mn



STONEWOOD® SLEEPER EDGING

These rugged, rustic wood-effect sleepers have weathered, authentic profiles and are available in three sizes.



Antique Brown (AB)

Antique Brown (AB)



Antique Brown (AB)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	linear m/ pack	Units/ linear m	
Stonewood Sleeper edging	900 x 250*	AB	23	0.69	20.90	1.10	
Stonewood Sleeper edging	600 x 250	AB	29	0.36	17.70	1.60	
Stonewood Sleeper edging	250 x 250	AB	46	0.26	12.00	3.80	
Thickness: 40mm, *50mm Joint width: 5mm							



TEXTURED EDGING

Available in three subtle and elegant shades, this medium textured edging beautifully complements Textured paving.





Buff (Bf)

Grey (Gy)



Dark Grey (DG)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	linear m/ pack	Units/ linear m	
Textured edging	580 x 275	Bf/Gy	20	0.37	11.80	1.70	
Textured edging	580 x 136	Bf/Gy/DG	24	0.22	13.92	1.70	
Thickness: 50mm Joint width: 10mm							



SAWTOOTH EDGING


Designed to perfectly complement Old Town and other more traditional paving ranges, this edging, with its authentic brick effect, has a 45° angle – with each single piece detailing six bricks.



Brindle Red (BR)

	Nominal size (mm)	Colours	Units/ pack	Pack weight (t)	linear m/ pack	Units/ linear m
Sawtooth edging	550 x 140	BR	30	0.55	16.50	1.81





SCALLOPED EDGING

Just the job when budgets are tight, this edging – in three classic colourways, buff, grey and red - offers excellent value for money.





Grey (Gy)

Red (Rd)

	Nominal size (mm)	Colours	Units/ pack	Pack weight (t)	linear m/ pack	Units/ linear m
Scalloped edging	600 x 150	Bf/Gy/Rd	48	0.37	28.80	1.70

Thickness: 50mm Joint width: Butt



ROUND TOP EDGING

A great value edging which comes in attractive buff, grey and dark grey colour options.







Dark Grey (DG)

	Nominal size (mm)	Colours	Units/ pack	Pack weight (t)	linear m/ pack	Units/ linear m
Round Top edging	600 x 150	Bf/Gy/DG	48	0.37	28.80	1.70

Thickness: 50mm Joint width: Butt



STEPS NEW RANGE

Practicality and elegance combined

Introducing our new range of steps for 2018. Create a stairway that delights with every step. Aside from a bull nose shape edge, all our steps match their corresponding paving to ensure they finish off your outdoor space with a beautiful, consistent look. Choose Mode Profiled steps as the ideal partner for either Aspero or Mode Profile porcelain paving.



Smooth Natural Sandstone corner step

Dune (Du)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack linear m/ pack	Units/m² Units/ linear m
Aspero/Mode Profiled step*	900 x 450	Bg/SG/DG/Gr	1	0.02	0.41	2.47
Smooth Natural Sandstone step	600 x 350	Du/SG	10	0.30	2.20	4.55
Smooth Natural Sandstone step Corners	350 x 350	Du/SG	20	0.35	1.30	7.72

Thickness: 50mm, *20mm Joint width: 5mm Country of origin: India, *Spain

Smooth Natural Sandstone step

Dune (Du)








Mode Profiled steps in Dark Grey

Smooth Natural Sandstone steps in Dune



STEPPING STONES

Step this way for a delightful garden feature

Stepping stones are a charming feature in any garden. Set in lawns and gravel or even in borders interspersed with planting, they offer a practical way to walk about your garden and add interest and character.

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Thickness (mm)
Natural Sandstone [†]	300 x 450	FB	56	0.50	n/a	20-24
Natural Limestone [†]	300 x 450	BB	56	0.50	n/a	20-24
Round	Ø 450	BrB/CrB	70	0.80	n/a	32
Random	450 x 350	WG/WB	70	0.80	n/a	32
Stonewood	290-450	AB	36	0.47	n/a	50

[†]Please note: Natural stone varies in colour and mineral content.



RANDOM STEPPING STONE

Featuring a riven surface and a naturalistic fettled edge, choose from weathered grey or weathered brown colour options to complement Ashbourne or other traditional paving ranges.



Random stepping stone Weathered Brown (WB)



Random stepping stone Weathered Grey (WG)

NATURAL SANDSTONE **STEPPING STONE**

In a rugged fossil buff colourway, this stepping stone complements our natural stone paving ranges.



Natural Sandstone stepping stone Fossil Buff (FB)

STONEWOOD STEPPING STONE

In deep, characterful antique brown, these stones imitate natural wood but offer much more durability and need much less maintenance.



Stonewood® stepping stone Antique Brown (AB)

NATURAL LIMESTONE STEPPING STONE

Designed to work with our natural stone paving, this stepping stone is available in striking blue/black.



Natural Limestone stepping stone Blue-Black (BB)

ROUND STEPPING STONE

With a riven surface, these brown blend or cream blend stones complement Ashbourne or other traditional paving ranges.



Brown Blend (BrB)



Round stepping stone Round stepping stone Cream Blend (CrB)

FLAG PAVING FIXING PRODUCTS

BRADPOINT® JOINTING COMPOUND

Bradpoint jointing compound is specially developed to ensure that your patio is jointed to perfection. It is suitable for use with all of our paving products, including porcelain, it is frost resistant and when cured provides a flexible yet durable finish. And it's so easy to use, you can apply Bradpoint in any weather, you simply brush it into the joints. One 20kg tub can cover up to 8.5m^{2*}.

Bradpoint™ is available in three colours.



Black (B)





Natural (Na)

BRADBOND® SLURRY PRIMER

Bradbond is a cementitious slurry primer that can be used on any paving product to help strengthen the bond between the paving and the sub-base onto which the patio is being laid. It is, however, particularly important to use Bradbond when you are laying porcelain paving as porcelain needs the additional adhesion that this primer provides to bond successfully with the mortar bed.

Bradbond is so easy to use. You simply add water to the already blended mixture that comes in the tub and simply apply it with a brush to the back of each slab before you lay it. One 17kg tub will cover a nominal 12.75m² of paving.



BRADPOINT

Typically 8.5m². Example: a 15.3m² patio pack with 10-15mm joints that are 20-24mm deep will require two tubs. Each tub contains two foil bags with a coverage of 4.25m² per bag.

*COVERAGE

 \odot

Skq

BRADBOND® WALLING ADHESIVE

NEW PRODUCT

Bradbond walling adhesive is a flexible cladding adhesive for external and internal floor and wall applications. It's specially formulated to make it easy to work with when fixing brick slips and natural stone to a range of substrates including sand/cement render, brick or block work. It can also be used with external wall installation systems. Simply mix 4.42 litres of clean water with each 17kg tub and apply 1m² at a time to a thickness of 3-20mm before leaving for 16 hours to set.



*COVERAGE

Typical coverage per tub is 4.25m² at a depth of 3mm

BLOCK PAVING FIXING PRODUCTS

BEDDING AGGREGATE


A 2-6mm open graded aggregate which is designed for the bedding course for Bradstone Infilta block paving to allow permeability.



Bedding aggregate

JOINTING AGGREGATE


A 3mm washed aggregate which is designed for jointing Bradstone Infilta block paving to allow permeability.



Jointing aggregate

DRAINAGE AGGREGATE

A 4-20mm open graded aggregate which is designed for the storage sub base for Bradstone Infilta block paving.



Drainage aggregate

KILN DRIED SAND

The ideal sand to use for the joints when laying Bradstone block paving.



Kiln dried sand



IMPORTANT: Drainage Aggregate (base), Bedding Aggregate (top layer) and Jointing Aggregate are for the permeable block paving (Infilta) only. All three stages (base, top layer and jointing) are satisfied by Kiln Dried Sand for normal block paving. For more information visit **bradstone.com**

Making it happen

All you need to know to achieve your dream garden or driveway

Deciding to give your outdoor space a stylish facelift is the easy bit. Knowing exactly how to make it happen can be trickier. That's why we've put together loads of information for you to make the most of.

We've made sure that whatever your taste, whatever your project, whatever your budget, when you come to Bradstone, you've got everything you need in one place.

3 EASY STEPS	164
DESIGN INSPIRATION	165
BRADSTONE ASSURED INSTALLERS	167
TECHNICAL INFORMATION	169
ADDITIONAL LANDSCAPING MATERIALS	182
ADDITIONAL INFORMATION	183
INDEX	187



Although every effort is made to ensure accuracy, all images are for illustrative purposes only. Due to varying light conditions, it is not always possible to show the true colours of our products in a photograph. To ensure you are completely happy with the product before ordering, you can order a sample at **bradstone.com** or from our Customer Care team on **01335 372289.**

Let Bradstone help you create your dream garden one step at a time

1 PLANNING AND DESIGN

We're here to help you achieve your dream outdoor space, so you'll find lots of great ideas in this brochure and at **bradstone.com**. There's always a fascinating conversation underway on our social channels as well, so they're well worth connecting with. And you can always talk to our stockists or dedicated Customer Care team on **01335 372289**.

2 CHOOSING YOUR PRODUCTS

You can choose from over 130 different products – across porcelain, concrete and natural stone, covering paving, driveways and landscaping features. We always give you an idea of price and there's a clear indication of what maintenance might be needed to keep everything looking its pristine best for many years to come.

3 INSTALLATION

You really can just sit back and relax if you trust a Bradstone Assured installer with your project. Our network of professionals are nationwide so there's sure to be one local to you who will deliver the very highest standards of workmanship. You'll also receive Bradstone guarantees covering the products and installation too.

- @bradstoneuk
- f bradstoneuk
- n bradstoneuk
- BradstoneUk
- (i) bradstoneuk

OUR TOP 10 DESIGN TIPS...

1. Always keep your objectives in mind

When you stay focused on exactly why you've given yourself the green light on your project, you'll be able to stay on track and keep a tighter rein on your budget

2. Patio positioning and privac

Think about where the sun is at different times of the day in your garden and whether there's any view you want to be able to enjoy.

3. Think about size

It's also worth checking whether the furniture you want fits the area with plenty of room to walk around too.

4 Have you considered zonal spaces

Split levels with stepped areas can create separate zones for you to experimen with planting or use for different activities

5. Suit vour style

Choose something which works for you, and your home. Contemporary paving will probably suit modern homes better than period properties – which will favour traditional styles.

6. Set a budget

Set a limit of what you're prepared to spend and stick to it. But don't forget to factor in the cost of a professional installer if you're going to use one – plus othe expenses like new planting or furniture.

7. Think about design

Check out the latest design trends online or in magazines.

A quick tip: indoor/outdoor living is still big. Porcelain is the 'in' material

And concrete is now widely used to give some rugged industrial chic.

8. Don't forget drainage or access

If you're installing everything yourself, take some time to consider access to your property, trees and drainage. A Bradstone Assured installer will ensure a groundwork and building regulations are covered.

9. Plan it out firs

Even if you just put together a basic drawing of what you're hoping to create, tha will help. There's a page at the back of this brochure where you can sketch out your plans. Use our online Paving Planner to bring your plans to life.

10. Choosing materials

Will you choose concrete, natural stone or porcelain? Each one will help create completely different look, so get to know the advantages they each have.

Want an award-winning designer on your team? We've got one of the world's best

Brilliant results start with brilliant ideas. And we'll give you the chance to tap into all the knowledge and expertise of one of the industry's brightest stars.

Paul Hervey-Brookes has created award-winning gardens for RHS Chelsea Flower Show and RHS Tatton Park Flower Show as well as in Japan and the USA. So he's the perfect person to fire your imagination.

Find inspiration at:

bradstone.com/getinspired









Design

inspiration



Discover paving options



Planting guides and advice



Here's team you can always trust

Find your Bradstone Assured installer

If you don't want to spend hours scouring the internet or the local newspaper, just enter your postcode at **bradstone.com** and you'll get a list of local installers you know you can trust.

Each installer's profile tells you a bit about them, what they specialise in and includes proper, unbiased customer reviews. So just pick whoever you think you'd be happy to have working for you and ask them for a quote online.

If you want some help finding an installer call us on 01335 372331.



Our Assured promise to you:





5 YEAR GUARANTEE ON INSTALLATION*





*Terms and conditions apply. For full details visit bradstone.com/garden-landscapers

Working with your Bradstone Assured installer

So, you've now got a landscaping and gardening professional on your side. Don't be afraid to ask lots and lots of questions; make the most of their experience and expertise. And together, you'll work out the best way to install your perfect patio, pathway or driveway. Your Bradstone Assured installer will also be able to share tricks of the trade on successful planting, lawns, walling and finishing-touch features.







Rest assured and enjoy the process


Once everything has been planned and agreed, you can simply sit back and let your Bradstone Assured installer get on with the job. From start to perfect finish, they'll do what's needed to keep it running smoothly. And when the project's finished, you'll have the complete confidence of knowing both products and installation have long-life guarantees of quality.



TECHNICAL INFORMATION



ASPERO®



18.36m² patio pack (Approx size: 5100 x 3600mm)

KIT CONSISTS OF:

- 36 = 595 x 295mm
- 36 = 295 x 295mm

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²	
18.36m² patio pack	5100 x 3600	Bg/SG/DG/Gr	96	0.88	18.36	n/a	
This could be a like the country of							



MODE® PROFILED



20.74m² two size mixed paving laying guide (Approx size: 5730 x 3620mm)

• 39 = 600 x 600mm

LAYING PATTERN CONSISTS OF:

• 39 = 600 x 300mm

size packs of Mode paving can be combined.


Please note to create this effect the shade batch reference for each size will be different. This may increase the overall tonal variation, particularly on Dark Grey and Graphite shades.

Making it happen

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²		
Paver	600 x 600	Bg/SG/DG/Gr	60	1.05	21.60	2.80		
Paver	600 x 300	Bg/SG/DG/Gr	72	0.61	12.96	5.56		
Thickness: 20mm Joint width: 5mm								



VETUSTO®




18.36m² patio pack (Approx size: 5100 x 3600mm)

KIT CONSISTS OF:

- 24 = 595 x 595mm
- 36 = 595 x 295mm
- 36 = 295 x 295mm

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²	
18.36m² patio pack	5100 x 3600	Du	96	0.88	18.36	n/a	
Thickness: 20mm Joint width: 5mm							



MODE® TEXTURED


	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	600 x 600	Bg/Sh/DG/Gr	60	1.05	21.60	2.80

Thickness: 20mm Joint width: 5mm

MANZANO®




	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
aver	1200 x 600	Pe/Gy	28	0.98	20.16	1.39
aver	900 x 450	Pe/Gy	65	1.25	26.33	2.47
aver	600 x 600	Pe/Gy/B/Ta	60	1.05	21.60	2.78
losaic	600 x 300	Pe	72	0.61	12.96	5.56
losaic	600 x 600	Pe/Gy/B/Ta	60	1.05	21.60	2.78
losaic	900 x 225	Pe	96	0.93	19.44	4.94
nickness: 20mm .loint	width: 5mm					



PAUTA®

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²		
Paver	600 x 600	SG/Mg	60	1.05	21.60	2.78		
Paver	900 x 450	SG/Mg	65	1.25	26.33	2.47		
hickness: 20mm Joint width: 5mm								



CAUSSE®

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	600 x 600	LG/DG	60	1.05	21.60	2.78
Thickness: 20mm Jo	oint width: 5mm					




MADERA®

HOW TO LAY MADERA PAVING









DO NOT start pavers on alternative

Pavers should be staggered to a **MAXIMUM OF 33**%.

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	900 x 225	Bir/Oa	96	0.93	19.44	4.94

Thickness: 20mm Joint width: 5mm

TORDILLO®






MADERA ANTIGUA®

HOW TO LAY MADERA ANTIGUA PAVING



DO NOT start pavers on alternative rows at the same point.





Pavers should be staggered to a **MAXIMUM OF 33**%.

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²	
aver	900 x 150	Gy/Bir/Oa	144	0.91	19.44	7.41	


Thickness: 20mm Joint width: 5mm







OLD TOWN®



6.4m² patio pack (Approx size: 2800 x 2300mm)

KIT CONSISTS OF:

- 03 = 600 x 600mm
- 03 = 600 x 450mm
- 02 = 450 x 450mm • 09 = 600 x 300mm
- 12 = 450 x 300mm
- 06 = 300 x 300mm

8.8m² patio pack with slate edging

(Approx size: 3200 x 2750mm

- KIT CONSISTS OF: • 04 = 600 x 600mm
- 09 = 600 x 300mm
- 09 = 600 x 150mm (slate edging)
- 05 = 600 x 450mm
- 08 = 450 x 450mm
- 09 = 300 x 450mm
- 05 = 300 x 300mm

Ø 4m circle with 4m² squaring off kit

(Circle approx size: Ø 4000mm) (Squared up approx size: 4000 x 4000mm)

KIT CONSISTS OF:

- 04 = centre
- 16 = middle
- 16 = outer

OUTER CIRCLE KIT CONSISTS OF:

16 = pavers

SQUARING OFF KIT CONSISTS OF:

• 20 = squaring off pavers

Ø 2.8m circle with 2.8m² squaring off kit (Circle approx size: Ø 2800mm)

(Squared up approx size: 2800 x 2800mm)

KIT CONSISTS OF:

- 04 = centre
- 16 = middle


SQUARING OFF KIT CONSISTS OF:

• 12 = squaring off pavers

	Nominal size (mm)	Colours	Units/ pack	Pack weight (t)	m²/pack	Units/m²
Paver	900 x 600*	GG/WL	10	0.55	5.60	1.80
Paver	600 x 600	GG/WL	22	0.68	8.20	2.70
Paver	600 x 450	GG/WL	48	1.18	13.50	3.60
Paver	600 x 300	GG/WL	46	0.71	8.70	5.30
Paver	450 x 450	GG/WL	48	0.85	10.20	4.70
Paver	300 x 450	GG/WL	46	0.57	6.60	7.00
Paver	300 x 300	GG/WL	48	0.40	4.60	10.40
6.4m² patio pack	2800 x 2300	GG/WL/DG/Ct/OQ	35	0.53	6.40	n/a
8.8m² patio pack with slate edging	3200 x 2750	GG	49	0.73	8.80	n/a
2 ring circle	Ø 2800	GG/WL	36	0.52	6.15	n/a
Circle outer	Ø 4000	GG/WL	16	0.61	6.41	n/a
2 ring circle squaring off kit	2800 x 2800	GG/WL	12	0.13	1.69	n/a
Circle outer squaring off kit	4000 x 4000	GG/WL	20	0.28	3.44	n/a
Thickness: 40mm, 44mm* Joint	width: 10-15mm					



BAMBURGH MILL



10.9m² patio pack (Approx size: 3810 x 2850mm)

KIT CONSISTS OF:

- 06 = 620 x 620mm
- 10 = 620 x 465mm
- 10 = 620 x 310mm
- 10 = 465 x 465mm
- 05 = 465 x 310mm
- 04 = 310 x 310mm

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
0.9m² patio pack	3810 x 2850	OB	45	0.88	10.90	n/a


Thickness: 50mm Joint width: 10-15mm



CARPET STONES

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	1200 x 400	Ch/RR	30	0.95	14.90	2.00


Thickness: 40mm Joint width: 10-15mm



STONEMASTER®

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Grey shades	800 x 200	LG/MG/DG	32	0.95	5.12	6.25
Buff shades	800 x 200	LB/MB/DB	32	0.95	5.12	6.25

Thickness: 80mm Joint width: n/a




PANACHE GROUND

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m ²
Paver	450 x 450	Wh/SG/MG	40	0.88	8.10	4.90




MAHINATM NEW RANGE

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²		
Paver	600 x 600	LG/DG	20	0.58	7.20	2.78		
Paver	450 x 450	LG/DG	40	0.88	8.10	4.90		
hickness: 35mm Joint width: 5mm								




OLD RIVEN



5.25m² patio pack (Approx size: 2450 x 2150mm)

KIT CONSISTS OF:

- 08 = 600 x 600mm
- 09 = 600 x 300mm
- 06 = 300 x 300mm



Ø 2.4m circle with 2.4m² squaring off kit (Circle approx size: Ø 2400mm) (Squared up approx size: 2400 x 2400mm)

KIT CONSISTS OF:

- 02 = centre
- 16 = middle
- 16 = outer middle

SQUARING OFF KIT CONSISTS OF:


• 12 = squaring off pavers

	Nominal size (mm)	Colours	Units/ pack	Pack weight (t)	m²/pack	Units/m²
Paver	600 x 600	ABr/AC/AG/AS	29	0.73	10.79	2.70
Paver	600 x 450	ABr/AC/AG/AS	58	1.14	16.30	3.60
Paver	600 x 300	ABr/AC/AG/AS	87	1.07	16.45	5.30
Paver	450 x 450	ABr/AC/AG/AS	58	0.83	12.30	4.70
Paver	300 x 450	ABr/AC/AG/AS	87	0.84	12.40	7.00
Paver	300 x 300	ABr/AC/AG/AS	87	0.52	8.36	10.40
2 ring circle	Ø 2400	ABr/AC/AG/AS	34	0.31	4.52	n/a
2 ring circle squaring off kit	2400 x 2400	ABr/AC/AG/AS	12	0.13	1.24	n/a
5.25m² patio pack	2450 x 2150	ABr/AC/AG/AS	23	0.36	5.25	n/a

Thickness: 35mm Joint width: 10-15mm



ASHBOURNE™



9.72m² patio pack

(Approx size: 3600 x 2700mm)


KIT CONSISTS OF:

- 12 = 600 x 450mm
- 24 = 450 x 450mm
- 12 = 300 x 450mm

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
9.72m² patio pack	3600 x 2700	Ct/YB/WG/AnC/YG	48	0.74	9.72	n/a

Thickness: 30mm Joint width: 10-15mm

AGED RIVEN



9.72m² patio pack (Approx size: 3600 x 2700mm)


KIT CONSISTS OF:

- 12 = 600 x 450mm
- 24 = 450 x 450mm
- 12 = 300 x 450mm

	Nominal size (mm)	Colours	Units/ pack	Pack weight (t)	m²/pack	Units/m²	
Paver	450 x 300	DG	70	0.68	9.98	7.00	
9.72m² patio pack	3600 x 2700	DG/Ct/YB	48	0.74	9.72	n/a	
Thickness: 30mm Joint width: 10-15mm							



TEXTURED



2 ring circle

(Approx size: Ø 2400mm)

KIT CONSISTS OF:

- 02 = centre
- 08 = inner
- 16 = outer

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m ²
Paver*	600 x 600	DG/Bf/Gy/Rd	20	0.58	7.20	2.80
Paver	450 x 450	DG/Bf/Gy/Rd	40	0.70	8.10	4.90
Paver	600 x 300	Bf	21	0.30	3.80	5.60
Paver	300 x 300	Bf	42	0.30	3.80	11.10
2 ring circle	Ø 2400	Bf	26	0.35	4.52	n/a

Thickness: 32mm, *35mm Joint width: 5mm



EDALE

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	450 x 450	Cr/Gy	76	0.98	16.08	n/a
Thickness: 30mn	n Joint width: 10-15mm					




PEAK

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Peak Riven	600 x 600	Bf/Gy/Rd	20	0.51	7.44	2.70
Peak Riven	450 x 450*	Bf/Gy/Rd	40	0.55	8.46	4.70
Peak Smooth	600 x 600	Bf/Gy/Rd	20	0.58	7.20	2.80
Peak Smooth	450 x 450*	Bf/Gy/Rd	44	0.61	8.90	4.90
Peak Smooth	400 x 400**	Bf/Gy	52	0.54	8.30	6.30

Thickness: 35mm, "32mm, "*28mm Joint width: Riven = 10-15mm Smooth = 5mm Please Note: Limited protection in transit means surfaces may scratch.



SMOOTH NATURAL SANDSTONE



15.3m² patio pack (Approx size: 4570 x 3340mm) KIT CONSISTS OF:

• 13 = 900 x 600mm

• 13 = 600 x 600mm


• 13 = 600 x 300mm

• 09 = 300 x 300mm

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack linear m/ pack	Units/m² Units/ linear m
Paver	600 x 600	Du/l	30	0.53	11.20	2.70
15.3m² patio pack	4570 x 3340	Du/SG/M/I/DG/R/Su	48	0.75	15.30	n/a

Thickness: 18-22mm, 50mm* Joint width: 5mm Country of origin: India

GRAND NATURAL SANDSTONE



15.3m² patio pack (Approx size: 4570 x 3340mm)


KIT CONSISTS OF:

• 13 = 900 x 600mm • 13 = 600 x 600mm

• 13 = 600 x 300mm

• 09 = 300 x 300mm

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²				
Paver	1250 x 750	Car	14	1.10	13.13	1.06				
Paver	1000 x 750	Car	14	0.90	10.50	1.33				
Paver	750 x 750	Car	16	0.75	9.00	1.77				
Paver	500 x 750	Car	16	0.55	6.00	2.66				
15.3m² patio pack	4570 x 3340	Car	48	1.15	15.30	n/a				
Thickness: 30mm Joint	width: 5mm Countr	nickness: 30mm Joint width: 5mm Country of origin: India								



NATURAL GRANITE


	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	900 x 900	Mg/SG	18	1.00	14.58	1.23
Paver	600 x 600	Mg/SG	40	0.96	14.40	2.80
Paver	600 x 300	Mg/SG	80	0.96	14.40	5.60
Paver	300 x 300	Mg/SG	80	0.50	7.20	11.10

Thickness: 23-27mm Joint width: 5mm Country of origin: China

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m ²
Setts	100 x 100	DG/SG/B	720*	1.00	9.06	83.00

Thickness: 50mm Joint width: 5-15mm Country of origin: China/Portugal *Number per pack can vary by up to 30%

NATURAL SLATE



10.2m² patio pack (Approx size: 3690 x 2760mm)

KIT CONSISTS OF:

• 06 = 590 x 590mm

• 10 = 590 x 440mm

• 10 = 590 x 290mm

• 10 = 440 x 440mm

• 05 = 440 x 290mm

• 04 = 290 x 290mm

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	600 x 600	BB	40	0.84	14.90	2.70
Paver	600 x 300	BB	85	0.84	16.10	5.30
10.2m² patio pack	3690 x 2760	BB/VG/GG	45	0.55	10.20	n/a

Thickness: 18-23mm Joint width: 10-15mm Country of origin: China

HONEYMEDE LIMESTONE



10.2m² patio pack (Approx size: 3690 x 2760mm)

KIT CONSISTS OF:

• 06 = 600 x 600mm

• 10 = 600 x 450mm

• 10 = 600 x 300mm


• 10 = 450 x 450mm

• 05 = 450 x 300mm


• 04 = 300 x 300mm

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m ²
10.2m² patio pack	3690 x 2760	Н	45	0.63	10.20	n/a

Thickness: 20-24mm Joint width: 10-15mm Country of origin: India



RIVERWASHED LIMESTONE



15.3m² patio pack (Approx size: 4570 x 3340mm)


KIT CONSISTS OF:

- 13 = 900 x 600mm
- 13 = 600 x 600mm • 13 = 600 x 300mm
- 09 = 300 x 300mm

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
15.3m² patio pack	4570 x 3340	StG	48	0.83	15.30	n/a

Thickness: 18-22mm Joint width: 5mm Country of origin: India

NATURAL LIMESTONE




15.3m² patio pack (Approx size: 4570 x 3340mm)

KIT CONSISTS OF:

- 13 = 900 x 600mm
- 13 = 600 x 600mm
- 13 = 600 x 300mm
- 09 = 300 x 300mm

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	600 x 300	BB	85	0.95	16.10	5.30
Paver	600 x 600	BB	40	0.95	14.90	2.70
Paver	900 x 600	BB	28	0.82	15.50	1.80
15.3m² patio pack	4570 x 3340	BB	48	0.83	15.30	n/a
15.3m² patio pack	4570 x 3340	AZ	48	0.95	15.30	n/a
Thickness 19 22mm	Laint width, 10 15	nm Country of origin:	India			

BLENDED NATURAL SANDSTONE



19.52m² patio pack (Approx size: 4905 x 3980mm)


- KIT CONSISTS OF: • 16 = 900 x 600mm
- 15 = 600 x 600mm
- 18 = 600 x 290mm
- 16 = 290 x 290mm

	Nominal size (mm)	Colours	Units/ pack	Pack weight (t)	m²/pack	Units/m²
Paver	900 x 600	ImG/RB/RG/BU	28	0.69	15.75	1.85
Paver	600 x 600	ImG/RB/RG/BU	50	0.82	18.91	2.77
19.52m² patio pack	4905 x 3980	ImG/RB/RG/BU	65	0.84	19.52	n/a

Thickness: 18mm Joint width: 10-20mm Country of origin: India




NATURAL SANDSTONE



15.3m² patio pack (Approx size: 4570 x 3340mm)


KIT CONSISTS OF:

- 13 = 900 x 600mm • 13 = 600 x 600mm
- 13 = 600 x 300mm
- 09 = 300 x 300mm



Ø 3.3m circle with $3.65m^2$ squaring off kit (Circle approx size: Ø 3300mm) (Squared up approx size: 3650 x 3650mm)

- 16 = outer middle
- 08 = inner circle
- 01 = centre



Ø 2.46m circle with 2.72m² squaring off kit (Circle approx size: Ø 2460mm) (Squared up approx size: 2720 x 2720mm)

KIT CONSISTS OF:

- 16 = outer circle
- 08 = inner circle

- 04	
• 01	= centre

	Nominal size (mm)	Colours	Units/ pack	Pack weight (t)	m²/pack	Units/m²
aver	900 x 600	AGr/FB/SB/SG	28	0.82	15.50	1.80
aver	600 x 600	AGr/FB/SB/SG	40	0.78	14.90	2.70
aver	600 x 450	AGr/SB	56	0.82	15.70	3.60
aver	600 x 300	AGr/FB/SB/SG	85	0.80	16.10	5.30
aver	300 x 300	AGr/FB/SB/SG	85	0.42	8.15	10.40
5.3m² patio pack	4570 x 3340	AGr/FB/SB/SG/ M/HR/BU	48	0.80	15.30	n/a
ring circle	Ø 2460	AGr/FB/SB	25	0.28	4.75	n/a
ring circle quaring off kit	2720 x 2720	AGr/FB/SB	12	0.18	2.65	n/a
ring circle	Ø 3300	FB/SB	41	0.50	8.56	n/a
ring circle quaring off kit	3650 x 3650	FB/SB	20	0.28	4.74	n/a

Thickness: 20-24mm Joint width: 10-15mm Country of origin: India

	Nominal size (mm)	Colours	Units/ pack	Pack weight (t)	m²/pack	Units/m²
Setts	100 x 100	AGr/FB/SB	750	0.77	8.80	85.00

Thickness: 30-45mm Joint width: 15-20mm Country of origin: India



STONEMASTER®

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Single sizes	300 x 100*	DG/MG/LG	240	0.96	7.20	33.30
Mixed sizes	n/a	DG/MG/LG	400	1.02	10.20	n/a

Mixed size pack contains: 400 blocks (80 No. 250x150, 80 No. 200x150, 160 No. 150x150 and 80 No. 100x150mm)



DRIVEFLAIR

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Mixed sizes	n/a	Bd/Gr	352	0.96	9.60	n/a

Making it happen

Each pack contains: 352 blocks (96 No. 250x150, 96 No. 200x150, 96 No. 150x150 and 64 No. 100x150mm)



WOBURN RUMBLED

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack linear m/ pack	Units/m² Units/ linear m
Paver	200 x 134	Au/Bd/FB/Ru/Gr	336	1.02	9.05	37.00
Paver	134 x 134	Au/Bd/FB/Ru/Gr	504	1.02	9.05	56.00
Paver	100 x 134	Au/Bd/FB/Ru/Gr	672	1.02	8.98	75.00
Kerbs*	200 x 125	Au/Ru/Gr	192	0.90	19.20	10.00

Thickness: 50mm, *100mm (Paving also available in 60mm thickness in Autumn, Graphite and Rustic)



LUMLEY COBBLE

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Mixed sizes	n/a	Stn	240	1.00	7.48	n/a

Thickness: 60mm
Each pack contains: 240 blocks (24 No. 280x170, 24 No. 240x170, 48 No. 200x170, 48 No. 160x170, 32 No. 280x130, 16 No. 240x130, 16 No. 200x130, 32 No. 120x130)



WOBURN RUMBLED INFILTA

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	200 x 134	Au/Ru/Gr	312	1.14	8.43	37.00
Paver	134 x 134	Au/Ru/Gr	468	1.14	8.35	56.00
Paver	100 x 134	Au/Ru/Gr	624	1.14	8.32	75.00



DRIVEWAY

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	200 x 100	Au/Bd/Rf/Gv/BO/Ch/Rd	488	1 11	9.76	50.00

Thickness: 50mm (Also available in 60mm thickness in all colours)



WOBURN ORIGINAL

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	200 x 134	Au/Ru/Gr	336	1.02	9.05	37.00
Paver	134 x 134	Au/Ru/Gr	504	1.02	9.05	56.00
Paver	100 x 134	Au/Ru/Gr	672	1.02	8.98	75.00

Thickness: 50mm (Also available in 60mm thickness in Graphite and Rustic)



DRIVEWAY INFILTA

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	200 x 100	Au/Rd/Bd/Ch	404	0.99	8.08	50.00

Thickness: 60mm



MONKSBRIDGE

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Mixed sizes	n/a	Cin/Cro/Roy/ GG/Wd	360	1.01	9.60	n/a

Each pack contains: 360 blocks (80 No. 250x150, 100 No. 200x150, 120 No. 150x150 and 60 No. 100x150mm)



KERBS

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack linear m/ pack	Units/m² Units/ linear m
Large kerb	200 x 125	Bd/Ch/Rd	192	0.90	19.20	10.00
Medium kerb	150 x 150	Ch	240	1.06	24.00	10.00
Small kerb	125 x 125	Bd/Ch/Rd	1	> 0.01	n/a	10.00
Thickness: 100mm .lo	int width: Butt					

Also available for the large and small kerbs are a range of accessories which allow you to turn corners or edge a curved driveway.



ADDITIONAL LANDSCAPING MATERIALS

As part of the Aggregate Industries group, we can also offer ready-mixed concrete and asphalt surfacing materials for your garden or driveway project.

If you're looking for concrete for a shed base, a garden path or for the foundations of your garden walls then our **Concrete2You** service can deliver direct to your door. Simply visit **concrete2you.com** and we can help guide you to the right concrete mix and help you calculate how much concrete you will need.

If you're thinking of asking your builder to install an asphalt driveway or pathway then our **Express Asphalt** service offers them collection locations across the country. All our plants offer service guarantees that mean your landscaper will receive the most reliable service the industry has to offer.



ADDITIONAL INFORMATION

Samples

The designs shown in the brochure are for illustrative purposes only. Every effort is made to ensure the accuracy of all content in this guide, however due to varying light conditions it is not always possible to show the true colours of products in a photograph. Before ordering please always view a sample of current stock. You can do this in several ways: By ordering a **FREE** sample from **bradstone.com** or by calling **01335 372289** or by visiting a display at your local stockist (to find your nearest stockist visit **bradstone.com**)

Cost

We regret we are not able to quote recommended retail prices as those are set by our stockists and may be subject to variation. To give you an indication of price however we include a $\mathfrak L$ icon on each product showing its value. The more $\mathfrak L$ s a product has, the more premium it is considered to be. Please be aware that paving is just one element of the total cost and is rarely the largest outlay.

Sizes and joint widths

Size dimensions quoted within this brochure are nominal and for guidance only. Actual sizes will vary, particularly where riven profiles and fettled edges are a feature of the product.

Always dry lay the product to check area required (especially circles and patio kits). See joint widths recommended for products on the product page. All m² coverage is approximate and may vary.

Application/suitability

Bradstone products and materials, unless otherwise stated, are for domestic landscaping and driveway projects. Decorative flag paving and edging is not recommended for use on driveways.

All products must be checked on arrival and in the unlikely event of products reaching you in a less than satisfactory condition, please refer to your stockist immediately, allowing time for the rejected product to be replaced. De-icing salts should not be used on the Bradstone range of decorative flag paving. Bradstone does not recommend the use of jet/power washers on the decorative range of paving and walling, as this may affect the surface of the product over time. For advice on cleaning and general maintenance of your patio please contact the customer care team or refer to our website.

Health and safety

Due to the nature of our products we always recommend suitable lifting equipment be used.

For larger products such as 1250×750 mm, 1200×600 mm and 900×900 mm pavers we recommend the use of lifting equipment such as a vacuum lift.

- Always wear gloves and safety footwear when handling the product
- Always wear safety goggles and appropriate respiratory protection when using cutting equipment
- Ensure the products are on level ground and retained in some way before removing any packaging
- Always handle with care as breakage and chipping may result from mishandling.

If you require further health and safety guidance, please contact the **customer care team on 01335 372289.**

Order Choice

The Bradstone Order Choice service means that you can order certain products from any Bradstone stockist, even if they do not actually stock that particular product. You can also order products in the exact quantities you require. Simply ask your stockist.

Please note: We do not split patio feature kits.

Bradstone Assured terms and conditions

Bradstone Assured members are subject to regular quality checks and assessments and are required to abide by the Bradstone Assured approved terms and conditions of membership at all times. Bradstone offers a 10 year guarantee on products installed by our Bradstone Assured installers, as well as a 5 year guarantee on their workmanship from the date issued on your personal certificate. Full terms and conditions of our guarantee are available at **bradstone.com**

Each Bradstone Assured approved member is directly responsible for the management of the relationship with their customers and any enquiries. Please note that the resulting legal contract is between you and the Bradstone Assured approved member, and is subject to the terms and conditions of that member. They will advise you of these conditions themselves.

You should carefully review their terms and conditions applying to the purchase of your products and/or services. Claims or suggestions should be addressed directly to the relevant Bradstone Assured approved member providing the relevant products or services.

For more information visit **bradstone.com**

KEY PRODUCT INFORMATION

When you receive your product you may notice minor scuffing on the surface. This can occur due to movement in transit and will generally disappear in time.

Block paving colour swatches

Colour variations can occur within packs, therefore:

Ensure your sample and block are from the same factory. Block paving should be ordered from the same batch number to avoid colour variation. Do not mix blocks from different factories. Bradstone cannot accept responsibility once blocks are laid from different batches. Best results are achieved through mixing from 3 to 5 different packs and from vertical columns rather than horizontal rows.

We recommend a neoprene faced or rubber sole plate on vibrating plate compactors to reduce scuffing. Light colours are susceptible to staining and care should be given when selecting blocks for driveways.

Natural stone colour and maintenance

Natural stone products will have variations in colour and texture within single pieces and from piece to piece. We recommend a reasonable amount of product is viewed at your local stockist before ordering. Natural stone products may contain minor imperfections. Product should be mixed from a number of packs prior to installation. We strongly recommend that natural stone is always laid on a full wet mortar bed. Natural stone needs to be handled very carefully when installing to minimise staining and we would advise that Smooth Natural Sandstone be sealed prior to laying. However, if this is not possible, it should be covered up as it is installed and sealed as soon as it is laid.

We also recommend applying Bradbond slurry primer to the underside of each Smooth Natural Sandstone paver prior to laying to improve adhesion.

Natural Sandstone

The Silver Grey colour in all our Natural Sandstone products will vary with differing geological conditions. Such variations can lead to small particles of ironstone within the product creating a darkening of the surface with natural weathering. Being pale in colouration, this natural weathering is more obvious with Silver Grey compared to other natural products in the Bradstone range.

Natural Slate

Slate has many natural characteristics, therefore, care should be taken when laying to aid/enhance the overall finished aesthetic appearance. In most cases this paving has more than one usable face, we strongly recommend the following checks be made:

- Select the best finished top surface to work with ensuring it is free from calcite mineral deposits
- Choose the desired shade variation to compliment the surrounding paving
- Dry lay the paving prior to final installation/fixing.

Porcelain paving

Manufactured from the finest raw materials, under strict controls allows us to obtain the exceptional technical characteristics of full-body unglazed porcelain paving: high bending resistance (>2000 N), high resistance to surface wear (<145 mm3), to freezing and chemical attack, with a water absorption level of <0.1% in a wide range of finishes and colours.

Anti-slip surface resistance

- Mode Textured = Class 3 / R12 / Group C
- Mode Profiled and Aspero = Class 2 / R11 / Group B
- All other porcelain paving = Class 3 / R11 / Group C

We recommend Bradpoint jointing compound for pointing. Do not use white cement nor materials containing black pigments. Finishes are intentionally manufactured with slightly uneven colour tones and surface decoration, these subtle variations set these products apart.

The use of a slurry primer to the reverse of each paver is both essential and more importantly critical to the overall performance of Bradstone porcelain paving. We recommend the use of Bradstone Bradbond for this. Applied to the underside using a stiff brush, it provides an exceptional bond between paver and the full wet washed sand bed underneath. Mixed to manufacturer's instructions and applied with care it forms an immediate bond which prevents the pavers from lifting or potentially moving in the future when correctly laid.

Before laying see how it's done with ease and care, visit YouTube BradstoneUk to watch our 'How to lay porcelain paving' video.

Bradstone porcelain paving can be cut on site and mostly to any size. All you need is a hand held saw with a power cut off facility, fitted with a good quality diamond blade suitable for porcelain pavers/tiles.

Ensure the blade is water fed to reduce the amount of dust given off, score the product on low power first, then wet it and cut through. Scoring the product first and sawing from the face downwards will help to alleviate the potential risk of edge/surface chipping.

Bradstone porcelain paving can easily be cleaned by applying an acid based cleaner diluted to the manufacturer's instructions. In fact, we strongly recommend the finished laid area be thoroughly cleaned/washed down which helps remove general building dirt, grout residue and any grease deposits that may be present. It is also recommended that periodic cleaning with a porcelain cleaner will help to keep the paving looking its best.

Dependent on the type of stain/surface residue present (i.e. suction marks, grease, grout, general building site dirt,) there is a wide range of off the shelf specialist cleaners available. Always check the manufacturer's instructions first before applying to any test area.

Concrete paving colour

Colours may vary subtly, especially in weathered shades.

Colours will appear different during varying weather
conditions such as sunlight and rain. Please check colour
samples in dry conditions and in full daylight. Where
possible, products should be selected from the same
product batch. Occasionally dark and light patches may
occur on the surface of the paving. This is due to differential
weathering where the surface of the paving has cured at
different rates. All decorative products will weather and
change appearance over time.

Efflorescence

Efflorescence appears on concrete paving products as white patches or a lightening of the surface colour, but seems to disappear when wet. It is formed by a normal chemical reaction between cement and water which causes calcium hydroxide (lime) to migrate through damp concrete to the paving surface and then react with carbon dioxide in the atmosphere resulting in a deposit of calcium carbonate crystals. Efflorescence is very unpredictable in its occurrence but is more prevalent in winter when concrete becomes wet and dries more slowly.

Although there are cleaners available, efflorescence is a natural phenomenon and will generally disappear with the natural weathering process and the passage of time. Aggregate Industries cannot accept responsibility for the effect of efflorescence which can be a characteristic of all good quality products with a high cement content. For more information visit **bradstone.com**

Other weathering

Weathering and site conditions can occasionally cause other variations in shade to appear. Differential weathering can cause patchy dark discolourations on the surface of individual units. Again this will generally diminish over time and will not affect long term performance. Natural stone may develop added marking, deposits or patches as mineral content oxidises. All products can develop algae and organic growths under certain environmental conditions and may require cleaning. Areas adjacent to borders, plant pots and trees may discolour from transfer of plant life; specialist maintenance advice may need to be sought.

Aggregate Industries cannot accept responsibility for any of the above conditions. Should you require further advice in this specialist area call our customer care team on **01335 372289.**

Bradstone information

Bradstone reserves the right to alter specifications without prior notice. All products and services shown in this brochure are supplied subject to Aggregate Industries UK Ltd terms and conditions of sale.

No charge is levied for this brochure or the advice therein, and accordingly the company, its employees and authorised agents can accept no liability whatsoever, either directly or indirectly arising from the use of its products in connection with any information or advice contained in this guide.

Bradstone is part of Aggregate Industries UK Ltd.

Aggregate Industries is the first company in the world to achieve a BES 6001:2008 Responsible Sourcing Certificate from BRE Global. Products are assessed on:

- Quality management
- Environmental management
- Health and safety management
- Greenhouse gas emissions
- Minimising raw material usage
- Labour practice
- Biodiversity
- · Community engagement.

All Bradstone hard landscaping products are backed by BS EN ISO 9001 certification for product quality and service. Bradstone block paving products are also manufactured to, and in accordance with, BS EN 1338.

Each of the Bradstone manufacturing locations is certified to ISO 14001 for environmental management systems and 18001 for occupational health and safety. All dimensions quoted in this brochure are nominal and are for guidance only. Actual sizes may vary. Our products also conform to European harmonised standards for CE marking.

For more information visit **bradstone.com** 185

Index Product A-Z

Aged Riven	69	Madoc walling	144	Peak	81
Ancestry edging	153	I Mahina [™]	63	Pitched walling	146
Ancestry walling	144	Manzano®	21	Riverwashed Limestone	105
Ashbourne [™]	73	Mode® Profiled	25	Round top edging	154
Aspero®	15	Mode® Profiled coping	142	Rustic Rope Top edging	150
Bamburgh Mill	53	Mode® Profiled edging	149	Sawtooth edging	154
Blended Natural Sandston	ne 115	Mode® Textured	29	Scalloped edging	155
Block paving fixing produc	ts 161	Monksbridge	129	Screenwall walling	146
Carpet Stones	55	Natural Granite	95	Smooth Natural Sandstone	85
Causse®	35	Natural Limestone	107	Smooth Round top edging	149
Countrystone	145	Natural Sandstone	109	Stepping Stones	159
Driveflair	131	Natural Sandstone edgir	ng 151	Steps	157
Driveway	135	Natural Sandstone walling	ıg 142	StoneMaster® block paving	119
Driveway Infilta	136	Natural Slate	99	StoneMaster®	57
Eco Countryside edging	152	Natural Stone walling slip	os141	Stonewood edging	152
Edale	80	Old Riven	65	Textured	77
Flag paving fixing products	3160	Old Town®	47	Textured coping	145
Grand Natural Sandstone.	93	Old Town® edging	150	Textured edging	153
Honeymede Limestone	103	Old Town® walling	143	Tordillo [®]	37
Kerbs	137	Panache edging	151	Vetusto®	19
Lumley Cobble®	133	Panache Ground	61	Woburn Original	127
Madera®	39	Panache walling	143	Woburn Rumbled	123
Madera Antigua®	41	Pauta®	33	Woburn Rumbled Infilta	125
My Bradstone Assur	red lands	scaper details		My favourite products	5

BRADSTONE

Hulland Ward, Ashbourne Derbyshire DE6 3ET

Bradstone consumer helpline: 01335 372289

General enquiries: 01335 372222

Email: bradstone.garden@aggregate.com

bradstone.com







Facebook bradstoneuk



Pinterest YouTube BradstoneUk



Instagram







