



For your perfect outdoor space
let's talk landscaping

Style & exclusivity is simple to achieve

...with the latest ranges of Brett paving,
aggregates and accessories.

Welcome to the new Brett 'Gardens and Drives' brochure, which is packed with inspirational ideas and practical information.

We hope this will help you create the beautiful outdoor space you want, as we have done for thousands of other customers over many years.

For further information on our products, please visit:
www.brett paving.co.uk



BrettPaving



@brett paving



Brett
Landscaping
Ltd.



Brett
Landscaping
Ltd.

www.brett paving.co.uk

Tel: 0845 6080 577

Front cover image: Style
Limestone Honey with Alpha
and High Kerbs in Autumn Gold





Regatta TRIO Autumn Gold with High Kerbs in Charcoal



New additions for this year





76

NEW Rustic Bronze colour for
TRIO and DUO ranges (Regatta TRIO shown)



18

NEW Elite Flamed Sandstone: in 4 colours (Mountain Mist shown)



77

NEW Regatta DUO in 3 colours (Silver Haze shown)

1 Before you start

pages 9-15

- 9 **Choose your look**
Think about colours, styles and textures
- 9 **Set your budget**
Understanding costs
- 9 **Installation**
DIY or paving contractor?
- 10 **Introducing Brett Approved Installers (BAIs)**
Quality workmanship guaranteed
- 12 **Installer of the Year 2015**
The best of the best this year
- 14 **BAI projects**
Examples of excellent projects from scheme members



Beta Silver Haze and Charcoal (mixed)

2 Natural Stone

pages 16-41

- 18 **Elite Stone**
Flamed, Textured, Polished and Tumbled natural stone,
- 26 **Style Stone**
Granite, Limestone, Slate and Quartzite
- 34 **Creative Stone**
Sandstone
- 38 **Smart Stone**
Limestone, Sandstone



Creative Sandstone Forest Glen

3 Garden Paving

pages 42-63

- 44 **Porcelain**
Premium Italian porcelain paving in single size packs
- 46 **Varano**
Premium flag paving in single size packs
- 48 **Lugano**
Premium flag paving in single size packs
- 50 **Bronte**
Single Size Paving Packs, Patio Pack, Stepping Stones, Circles and Corner Kit
- 52 **Rochester Brick**
Single Size Paving Packs
- 54 **Canterbury**
Patio Packs
- 56 **Chaucer**
Single Size Paving Packs
- 62 **Economy paving**
Quorndon, Stamford and Broadway Economy



Rochester Brick Burnt Red

4 Drives pages 64-85

- 66 **Lugano**
Paving
- 68 **Aura**
Paving, Circles and Kerbs
- 70 **Alpha Antique**
Paving, Circles and Kerbs
- 72 **TRIO products**
Alpha and Beta TRIO
- 74 **Beta**
Paving and Circles
- 76 **Regatta**
DUO, TRIO and Circles
- 78 **Delta**
Paving
- 80 **Omega**
Paving
- 82 **Permeable paving**
Alpha Flow and Omega Flow



Beta Burnt Oak

5 Finishing touches pages 58-61 & 86-89

- 58 **Garden Walling**
A beautiful selection of Garden Walling to complement our paving ranges.
- 60 **Gravel, Chippings, Pebbles and Cobbles**
Add a splash of colour and texture to your garden with these beautiful natural aggregates
- 86 **Kerbs**
Choose from a range of complementary Kerbs to help finish your garden or drive around the edges
- 88 **Garden Edging**
Choose from an array of different styles and colour to finish your garden around the edges



Natural Slate

6 Product information pages 90-115

- 92 **Understanding paving colours**
- 94 **Natural Stone**
- 96 **Garden Paving and Edgings**
- 99 **Decorative Aggregates**
- 99 **Accessories**
- 100 **Driveways**
- 105 **Kerbs**

DIY guides

- 108 **How to lay a patio**
- 110 **How to lay block paving**

Sustainable and responsible

- 112 **Sustainable products**
- 113 **Responsible sourcing**
- 114 **Brett and the community**
- 115 **Additional information**



Before you start

Deciding to get your garden or driveway landscaped can add great value to your home – as well as giving you far more usable space.

However, it can also represent a significant financial investment for you so you will want to get it right first time.

We hope that this brochure will help guide your thoughts and help you to arrive at the right decision for you.



traditional/rustic/character

Aura Silver Fleck



modern/urban/linear

Porcelain Driftwood



contemporary/natural/flowing

Beta Silver Haze with Beta & High Kerb Edging Charcoal



Choose your look

This brochure is designed to help you get the most from your garden and to create a space that looks and functions in exactly the way you want it to.

You may already be thinking about colours, styles and textures, or you may have a completely open mind. Either way, there's plenty of information and advice available from this brochure, garden shows, lifestyle magazines or just browsing the web for ideas.

Being advised and informed is just as crucial as inspiration. Costs, timing, use of materials and other practical considerations will have a big part to play in your decisions – but you don't have to make them alone!

There's a great deal of practical advice in this brochure, but there's even more in the heads of your local builders merchant and installers and there's no better expert than a Brett Approved Installer (BAI).

You'll find out more about these people as you browse through this brochure – or by visiting www.brettpaving.co.uk

Set your budget

Did you know that installation costs typically account for 80% of the landscaping budget?

It therefore pays to stick to what you really want, as using a premium product will only marginally increase your total project outlay.

So, getting the perfect look and feel won't cost you much more – but will keep a smile on your face for longer!

While you're looking at your costs, don't forget that by enhancing your outdoor areas you will also be adding additional living space as well as extra long-term value to your home.

Before you decide

Remember that product in photographs* can look quite different to the actual product in your garden or drive.

Please always ask your merchant for a sample or ask your contractor to show you a nearby site that uses the same material, before you go ahead and purchase products.

*We show products in a variety of weather conditions (some wet), and some are sealed. Where this is the case, it is indicated in the caption.

Installation

DIY or paving contractor?

If you know what you're doing, have the time and are keen to go it alone, there's a wealth of installation information available on pages 108-111. There's still more at www.brettpaving.co.uk

If you do go down the DIY route don't forget to allow for extras like fencing, plants, furniture or any other unexpected costs within your project.

The other approach is to find an installer you are comfortable with and who understands what you want. Then agree a fixed budget with them for the work you want doing.

This simple step lets your installer know exactly what they are doing and ensures there are no unpleasant surprises for either of you – allowing you to relax and enjoy watching your project taking shape.

Introducing Brett Approved Installers

The Brett Approved Installer scheme is a network of installers whose workmanship is rigorously assessed and monitored by Brett both in terms of the absolute quality of their workmanship, peerless customer service and financial probity.

The aim of the Brett Approved Installer scheme is to offer you the 'best of the best' paving contractors in the market who can install your Brett Driveway or Patio to the highest standards, and ultimately significantly reduce the risk of you choosing a rogue paving contractor.

All Brett Approved Installers have access to the latest technical and support services offered by Brett and so can easily help with product choice, design, logistics, British Standard queries and all other aspects of your project.

Top tip: Whatever you decide to do, start looking early. Brett Approved Installers are often booked for months in advance.



BrettApproved
PAVING EXPERTS YOU CAN TRUST



How do I find my Brett Approved Installer?

Brett Approved Installers advertise in many different ways and areas including stands at County and National Shows as well as in the local press and national directories. You can always find your closest Brett Approved Installer or check that your contractor really is a Brett Approved Installer at www.brettpaving.co.uk



The Brett Approved Installers scheme is designed to provide you with that extra peace of mind at all stages of your landscaping contract.

Firstly, you can make an instant website check to ensure your Approved Installer is who he says he is using www.brettpaving.co.uk. Thereafter, your Approved Installer can provide the 'Setting Paving Installation Standards' document. It's a great guide to explaining how to measure the quality of a paving contractor when he comes to quote for your project.

5-Year Installation Guarantee from your BAI

If you choose to work with a BAI you will automatically get a '5-year Installation Guarantee' direct from the Approved Installer on completion of the project.

Your Approved Installer will also register your installation and product details directly onto our website along with your email address.

10-Year Product Guarantee from Brett

Once your BAI has submitted this information, we will automatically send you a personalised email with log-in details to access our website.

Here you verify the Brett products installed, privately rate the service you've received from your Brett Approved Installer and download your '10-Year Product Guarantee' direct from Brett Landscaping for the Brett products installed on your site.

You will also be able to download an 'Essential Maintenance Guide' that gives you helpful tips on how to best look after your new installation to keep it looking great for many years to come.

Don't worry if you don't have an email address; the BAI Team will contact you directly to manually verify the details and send you the respective paperwork.

With all of these great benefits available, if you're not going to undertake your project yourself, why wouldn't you choose a Brett Approved Installer?

2015 Brett Approved Installer Conference and Awards Ceremony

The Brett Approved Installer Awards is an annual event, primarily aimed at maintaining standards and driving up the quality of workmanship in the scheme members' installations. Something that everyone benefits from.

Winner: Small patio of the year

Judges comment:

An amazing change to a small space, beauty with a greatly reduced maintenance program.

After: Smart Limestone in Mystic Sky
by Muddy Boots



Winner: Large patio of the year



After: Smart Limestone & Alpha Silver Haze
by Leicester Drives & Gardens

Judges comment:

From overgrown mass to a slick traditional and yet contemporary design that fits the property completely.



Before

The project award winners in 2015 – judged by independent industry specialists – all perfectly demonstrate the flexibility, imagination and capability our Approved Installer members bring to every project whatever the shape, scope or size.



National Installer of the Year –
Woods Paving Ltd



Approved Installer members choosing
their favourite Project in the much sought
after 'Contractors Choice' Prizes.

Judges comment:

Creative use of circles and demarcation transforms a basic driveway into something special.



Before

Winner: Small driveway of the year



After: Aura Bronze Fleck and Alpha Charcoal
by Paramount Paving


Winner: Large driveway of the year



After: Alpha Brindle
by Bowen Paving

Judges comment:

A new build with so many challenges to overcome. Slope details and drainage plans all combine in perfect harmony.



Before

National Installer of the Year Winner:

- Woods Paving Ltd

Project Award Winners:

- Contractors Choice Patio – R & J Mole
- Contractors Choice Driveway – Bowen Paving
- Large Driveway – Bowen Paving
- Small Driveway – Paramount Paving
- Large Patio – Leicester Drives & Gardens
- Small Patio – Muddy Boots
- Best Portfolio – Paramount Paving

Other Contractor Performance Award Winners:

- Regional Installers – Propave and Leicester Drives & Gardens
- Newcomer of the Year – NH Home Improvements Ltd
- Customer Excellence – Mason & Turner Ltd

BAI projects

Irrespective of any scheme membership, the best way to judge the quality of any paving contractor is the quality of their back catalogue. Ideally seen in the flesh but as an alternative, reviewed on a iPad with the contractor at the time of quotation.

Here are some examples from our current Approved Installer of the Year, and our 2015 Portfolio of the Year winner.



Style Quartzite Burnt Glow



Alpha Silver Haze with Alpha and High Kerb Charcoal borders (shown wet)



Aura Silver Fleck and Rustic Kerb Charcoal



Smart Limestone Mystic Sky (shown wet)



Alpha Antique Silver Haze with Style Limestone Mystic Sky



Elite Textured Rustic Pearl with Beta Burnt Oak Edging



Beta Silver Haze with Drivestyle Kerb and Beta Charcoal Edging



Creative Sandstone Modak

The images on these pages are from two of our award winners in 2015. However, the scheme isn't just about winners – it's about delivering consistently high levels of quality and service to the home owner.

Most of the images in this brochure are from BAIs. Many haven't won an award, but all are of the same high standard. Every BAI member is regularly assessed to ensure an exceptional level of workmanship providing you with a great reason to choose a BAI for your project.

Natural Stone

Specially selected natural stone to enrich your outdoor space with warmth, class and quality. From cost effective, simple but beautiful ranges to the pristine purity and elegance of polished products.

Natural stone is a handcrafted product sourced from around the world. Every piece is unique with natural variations in colour and texture.





Elite range

*Beautiful and elegantly enhanced
Indian stone*

Flamed	18
Textured	20
Polished	22
Tumbled	24

Style range

*Beautiful stones from around
the world*

Granite	26
Limestone	28
Slate	30
Quartzite	32

Creative range

Classic Indian Sandstones

Fossil Mint, Forest Glen and Mountain Mist	34
Modak, Sunrise and Raveena	36

Smart range

*Quality Sandstone and Limestone
for the tighter budget*

Limestone	38
Sandstone	40



Gently ripen texture with sawn edge detail for a unique finish

Elite Flamed Sandstone is a range of specially hand selected Indian sandstone paving with a unique flamed finish. This creates a palette of premium colours and a gently rippled surface texture.

The unique aesthetic of our Flamed Sandstone range adds real class to almost any patio whilst the sawn edges give a sharp contemporary finish.

- ✓ Mixed sized paving patio packs
- See page 94 for all product information



Elite Flamed Sandstone Mountain Mist



Forest Glen



Sunrise



Mountain Mist



Serenity



Gently textured surfaces for amazing aesthetics

Additional processing to the product range helps create gently textured surfaces for amazing aesthetics in this premium natural stone portfolio.

The Elite Textured Stone selection from Brett Landscaping incorporates Sandstone and Quartzite within the range to give you a unique palette to personalise your outdoor space.

- ✓ Mixed sized paving patio packs
- See page 94 for all product information




Elite Textured Moorland Gold




Elite Textured Rustic Pearl



Moorland Gold



Midnight Storm



Rustic Pearl

Elite Polished



Sleek finish adding class and perfection

Elite Polished Sandstone makes a majestic entrance to any garden with the smooth, sleek edge finish adding a touch of class and perfection to this range of premium sandstone paving.

- ✓ Mixed sized paving patio packs
- ✓ Planks
- See page 94 for all product information



Elite Polished Sandstone Planks Mountain Mist



Elite Polished Planks Modak



Modak



Fossil Mint



Mountain Mist



Create a classic appearance - in an instant

The Elite Tumbled Sandstone paving range delivers an instant aged feel to add warmth and character to your garden.

Create more interest to your design with matching Circles and Setts to provide the perfect outdoor entertaining space.

- ✓ Mixed sized paving patio packs
- ✓ Circles with corners
- ✓ Mixed sized sett packs
- See page 94 for all product information



Elite Tumbled Sandstone Forest Glen Setts



Twilight



Forest Glen



Modak



Lightly textured surfaces in cool, contemporary colours

With its neat edges and consistent grey tones, Granite paving delivers a refined look with the flamed finish giving a subtly rippled surface.

- ✓ Mixed sized paving patio packs
- ✓ Planks
- ✓ Single size cropped setts (Silver Grey only)
- See page 94 for all product information



Style Granite Silver Grey



Style Granite Graphite Grey (shown wet)



Graphite Grey



Silver Grey



Suits both traditional and contemporary settings

The elegance and warmth of Style Limestone makes it suitable for a wide range of domestic applications.

Our Style Limestone is all cut to standard thicknesses for ease of installation whilst retaining its natural strength and durability.

- ✓ Mixed sized paving patio packs
- ✓ Circles with corners
- See page 94 for all product information



Limestone Fern (shown wet)



Fern



Honey



Creates characterful riven surfaces

High quality Brazilian Slate is carefully hand selected from the quarry for their natural beauty.

Style Slate creates characterful riven surfaces and is available in Olive Black or Woodland Grey and offers a modern, contemporary look with its naturally occurring tones.

- ✓ Mixed sized paving patio packs
- ✓ Circles with corners
- See page 94 for all product information



Style Slate Woodland Grey



Woodland Grey



Olive Black



Quartzite Burnt Glow (shown wet) with Garden Walling Honey Brown (centre feature fabricated by contractor)

Contemporary quartzite paving helps add drama

The high quartz content of this natural stone creates a unique appearance whilst the hardness of the stone ensures that its good looks will last for many years to come.


Midnight Storm comes with a smooth polished surface for sharp modern designs, whilst Burnt Glow has a gently riven surface for a more traditional finish.

- ✓ Mixed sized paving patio packs
- See page 94 for all product information



Style Quartzite Burnt Glow

*Try mixing our Polished
Midnight Storm with our
Textured Midnight Storm
from our Elite range for
a dramatic look*



Midnight Storm (polished)



Burnt Glow (riven)



Every piece of hand crafted Indian Sandstone is unique

Our calibrated Creative Sandstone paving is accurately sawn to an even thickness to enable quick and easy installation.

All of these natural colours vary from piece to piece and pack to pack giving your patio a unique look and feel.

For a brief overview of colours available within the Creative Sandstone range see pages 36-37.

- ✓ Single sized packs
- ✓ Two mixed sized paving patio packs
- ✓ Circles with corners



Creative Sandstone Fossil Mint with Alpha and High Kerbs Charcoal



Fossil Mint



Forest Glen



Mountain Mist



A rich palette of beautiful texture and colour

From the warm, robust autumnal colours of Modak, Sunrise and Raveena, shown on this page, through to the cooler and more delicate tones of Fossil Mint, Forest Glen and Mountain Mist (shown on pages 34 and 35).

Our Creative Sandstone portfolio offers a wide variety of rich, characterful colours to suit every sensibility and garden type.

Find out more about natural stone colours on page 93.

→ See page 95 for all product information



Creative Sandstone Sunrise



Modak



Sunrise



Raveena



Limestone for sophistication and character

The natural warmth and elegance of Smart Limestone suits both traditional and contemporary garden settings.

Our range of Smart Limestone is calibrated to standard thicknesses for ease of installation whilst retaining its natural strength and durability.

- ✓ Mixed sized paving patio packs
- See page 95 for all product information



Smart Limestone Mystic Sky with Alpha Antique Charcoal Edging and Circles

Large Patio
of the Year



Mystic Sky



Ocean Spray

Garden Paving

Brett presents distinct, creative possibilities for patios, terraces and pathways around your home. Whatever your style, inspiration starts here.





Flag paving

Porcelain NEW	44
Varano	46
Lugano	48
Bronte	50
Rochester Brick	52
Canterbury	54
Chaucer	56
Garden Walling	58
Decorative Aggregates	60

Economy paving

Quorndon	62
Stamford	63
Broadway Economy	63



Porcelain

Beautiful, sophisticated porcelain paving

Premium quality Italian porcelain paving is available in a range of carefully selected finishes guaranteed to bring the highest levels of elegance and sophistication, not to mention durability and ease of maintenance, to your garden

Available in 20mm thickness, a range of stone and timber effect colours and two plan sizes for optimal design choice and flexibility.


- ✓ Single size packs
- See page 96 for all product information



Porcelain Paving Night Sky



Porcelain Paving Silver Moon




Autumn Dawn



Silver Moon



Night Sky



Vintage Oak



Driftwood



Modular flag paving with a premium textured or ground finish

Brett Varano is a distinctive range of paving offering homeowners a fresh and contemporary aesthetic.

The unique premium textured or ground finishes create exciting textural combinations which give your garden crisp, geometric lines.

This can be further enhanced by using our striped option which combines ground and textured finish on the same flag, creating a unique, premium look for your patio.


- ✓ Single size packs
 - ✓ Ground or textured finish
 - ✓ Bespoke striped option available (made to order)
- See page 96 for all product information



Varano Carbone Ground and Textured




Varano Pallido Textured



Pallido textured

Pallido ground



Carbone textured

Carbone ground



Textured granite aggregate flag paving with high recycled content

Available in both flag and block options, Lugano creates extra visual flexibility for the home designer.

The durable, textured surface is slip resistant, looks great and offers cool, contemporary granite-look paving.

It's sustainable too, with in excess of 45% non-primary materials used in its manufacture, making it kind to the environment as well as beautiful for your home.

- ✓ Single size packs
- ✓ Complementary block paving, see page 66
- See page 96 for all product information



Lugano Graphite Grey



Silver Grey



Graphite Grey




A riven surface with natural colour tones

A riven surface with natural colour tones allows the Bronte paving range to blend well with most surroundings, adding character and texture to your outdoor spaces.

- ✓ Single size paving
- ✓ Mixed size patio paving pack
- ✓ Full and Half Circles
- ✓ Circle Corner Kit
- ✓ Garden Walling and Coping
- ✓ Stepping Stones
- See page 97 for all product information




Bronte Weathered Buff Circle
(2 Half Circle Packs) and Beta Charcoal



Honey Brown



Weathered Stone



Weathered Apricot



Weathered Buff



Acorn Brown



Reproducing the warmth and character of original brick paving

Add instant character to your garden. Enduringly stylish, the irregular texture, uneven block surface and Burnt Red colour faithfully reproduces the appearance of original brick.

An easy way to cover large areas without the problem of individual brick positioning.

- ✓ Basket Weave
- ✓ Soldier Course Edging
- See page 96 for all product information
- Rochester Brick joints need to be mortared to achieve the best effect for your project



Rochester Brick Burnt Red and Chaucer Charcoal

Rochester Brick makes an ideal partner for use with other flag paving either interspersed or as an edging



Burnt Red



Warm and natural, riven flag paving

With its freshly quarried riven surface and dressed edges, this collection of sympathetic regional stone colours gives Canterbury a timeless appearance at an affordable price wherever you are.

- ✓ Mixed size patio pack
- See page 97 for all product information



Canterbury Pale Ochre



Canterbury Old Cotswold




Pale Ochre



Mellow Amber



Slate Grey



Old Cotswold



A delicate texture that works well with narrow joints to give crisp, geometric lines

The finely textured surface of Chaucer paving provides an attractive and practical patio.

For a fresh contemporary feel, lay Chaucer narrow jointed to achieve a more defined finish.

- ✓ Single size paving
- See page 96 for all product information



Chaucer Natural with Omega Charcoal Edging



Charcoal



Natural



Buff



Garden Walling

Quick and easy to build with a wide range of sizes to instantly provide a traditional stone wall effect.

Our selection of Garden Walling and Copings complement our Bronte range.

→ See page 97 for product information



Garden Walling Honey Brown with Creative Sandstone used as copings



Weathered Stone



Honey Brown



Weathered Apricot



Weathered Buff



Acorn Brown

A range of attractive aggregates that provide easy options for driveways, patios, paths or even border decoration.

Key considerations

- Where are your aggregates going to be used – driveway, garden, external settings or for internal displays?
- Is the area to be trafficked or not?
- What style of landscaping is required – subtle or striking?
- What size of area is to be covered?
- Is a weed suppressant membrane required beneath the aggregates if externally used?
- If used in a water feature does it need to be fish friendly?

Garden and Driveway Aggregates

All decorative aggregates are available in maxi bags and bulk bags. For a handy aggregate usage calculator tool, visit www.brettpaving.co.uk or use the QR code below to see how many bags you require.



Natural Slate
Grade 40



Plum Slate
Grade 40



Green Slate
Grade 40



Red Granite
Grade 14



Green Granite
Grade 14



Pearl Spar
Grade 11



Cotswold Stone
Grade 20



Canterbury Spar
Grade 11



Havana Gold
Grade 20



Beach Pebbles
Grade 40



Honey Gold
Grade 10



Find out
more about
Decorative
Aggregates



Pictures show dry top left and wet bottom right. The most widely used aggregates are illustrated here. Please enquire if you require products not shown.



Suitable for use in garden ponds (wash thoroughly before use)



Suitable for driveways

Product	Grade	Coverage kg/m ²
Natural Slate	40	62.5
Plum Slate	40	62.5
Green Slate	40	62.5
Red Granite	14	75
Green Granite	14	75
Pearl Spar	11	70

Product	Grade	Coverage kg/m ²
Cotswold Stone	20	75
Canterbury Spar	11	60
Havana Gold	20	70
Beach Pebbles	40	55
Honey Gold	10	70

This range of Brett garden paving products has been specifically developed to suit projects where budgets are a concern.

They all offer great durability but at a lower price point than our other flag paving products but still come with all the security of buying Brett products for your project.

If aesthetics are key to your requirements, we would advise you to consider the extensive range of Brett products outside the Economy paving range because these products are more prone to variations in colour and face finish.


Quorndon

This hardwearing paving flag with its gently riven surface and colour variations is ideal for utility paving areas. Available in four sizes, Quorndon is also a firm favourite with housebuilders and developers.


→ See page 98 for all product information



Quorndon Buff with Brindle Omega Flow



Buff



Natural



Stamford

Stamford is an economy wet-cast concrete paving flag available in two sizes which has a detailed riven surface ideal for creating patios, paths and utility areas around the home.

Stamford has been designed to offer exceptional value and comes in two colours which can then be mixed to create edges or delineation within paved areas.


→ See page 98 for all product information



Broadway Economy

Available in both smooth and riven options and two sizes, this functional, economical paving suits utility areas perfectly. Colours and face finishes may vary.

→ See page 98 for all product information



4 Drives

A well-designed, attractive driveway provides easy, convenient and secure parking, as well as adding value to your home.





Block Paving

Lugano	66
Aura	68
Alpha Antique	70
Alpha and Beta TRIO.....	72
Beta	74
Regatta DUO and TRIO	76
Delta	78
Omega	80

Permeable Paving

Alpha Flow	82
Omega Flow.....	84

Kerbs

Kerbs	86
-------------	----

Edgings

Edgings.....	88
--------------	----




Granite effect block paving for a stylish approach to your home

Brett Lugano is designed to give your driveway the look and feel of textured granite paving.

The durable, textured surface provides a high level of slip resistance, making it ideal for many applications.

It can also be integrated with our new range of Lugano garden paving, shown on page 48, to create a sophisticated and integrated look for your driveway.

- ✓ Single size 80mm paving
 - ✓ Integrate with Lugano garden paving
 - ✓ In excess of 70% non-primary materials used in facing layer
- See page 101 for product information



Lugano Silver Grey with Beta Charcoal Edging and detailing



Graphite Grey



Silver Grey





Aura Bronze Fleck with Alpha Charcoal Bands

Small
Driveway of
the Year

Note: Always use permeable chippings for jointing Aura paving before applying kiln dried sand.



Burnt Fleck



Silver Fleck



Bronze Fleck

Aura

The perfect courtyard cobble with a tumbled riven surface and a delicate sparkle

Tumbled cobbles with a riven surface and delicate shimmer that make a great alternative to granite setts. Create stunning curves using the Circle Kit.

- ✓ Paving
- ✓ Circle
- ✓ Kerbs
- See page 102 for all product information



Alpha Antique



Alpha Antique Silver Haze



Burnt Oak



Brindle



Silver Haze



Charcoal

Alpha Antique

Warm, rustic tones that blend with any surrounding

With a distressed, aged look that blends well with most surroundings, it isn't surprising that Alpha Antique is one of the most popular choices. The yellow and orange tones evoke a warm rustic ambience, ideal for period properties. For more contemporary homes, the elegant greys give a sophisticated touch.

- ✓ Paving
- ✓ Circle
- ✓ Kerbs
- See page 100 for product information
- Also available as a Permeable paving range, page 82
- Also available as a mixed size TRIO pack, page 72



Autumn Gold



Alpha TRIO Autumn Gold with Aura Bronze Fleck edging

Alpha TRIO

Rustic look paving in multi-size packs

Alpha TRIO offers a classic multi-size block paving with an aged look that blends well with almost any surroundings. Each pack contains three sizes of block to maximise design flexibility and reduce the number of packs required, helping to minimise waste on smaller paving projects. Alpha TRIO is available in a choice of four colours and two thicknesses.

A wide range of matching products and accessories is available

- ✓ 50mm or 60mm thickness
- ✓ Matching kerbs
- ✓ Circle pack
- ✓ Distinctive look and feel for your driveway
- See page 100 for all product information



Autumn Gold



Brindle



Silver Haze



Rustic Bronze

New for
2016



Beta TRIO Silver Haze with Beta and High Kerb in Charcoal

Beta TRIO

Clean lines, flat surfaces and minimal waste

Beta TRIO paving has been designed to provide the clean lines and flat surfaces of Beta block paving in mixed size packs each containing three block sizes in a pre-determined ratio to create great looking, durable paving.

Beta TRIO is available in three colours – the ever popular Silver Haze and, new for 2016, Autumn Gold and Rustic Bronze.

- ✓ 60mm thickness
- ✓ Distinctive look and feel for your driveway
- See page 101 for all product information

Note: Beta TRIO is regionally manufactured so colour variations will occur.




Autumn Gold

New for
2016



Silver Haze



Rustic Bronze

New for
2016





Beta Burnt Oak Large Circle with Autumn Gold Bands

Beta

Clean lines and smooth surfaces for contemporary drives

Beta's clean lined, smooth surfaces give a wonderful contemporary design to any driveway.

This low maintenance paving solution is also great in the garden due to the reduced gap between blocks which minimises soil collection. Available in four sizes, Beta allows for a wide range of laying patterns to get just the right look.

- ✓ Paving
- ✓ Circle
- See page 101 for product information
- Beta is also available as a mixed size TRIO product, page 73
- Beta and Beta TRIO paving should not be mixed due to variations in colour resulting from regional manufacturer.



Brindle



Charcoal



Burnt Oak



Silver Haze



Autumn Gold



NEW
for 2016

Regatta DUO and TRIO

Create distinctive styles with a cobbled look

Regatta is now available in two great pack configurations to maximise ease of ordering for your driveway projects:

Regatta TRIO – combines small, medium and large blocks in the same pack.

Regatta DUO – combines large and jumper blocks in the same pack.

These two options can be used individually or combined giving the highest level of laying pattern flexibility. For pattern ideas visit the Regatta product page on brettpaving.co.uk.

- ✓ Two mixed size packs
- ✓ Circle
- ✓ Use with High or Drivestyle Kerbs
- ✓ Circle
- See page 103 for product information



Regatta DUO Silver Haze with Regatta TRIO Rustic Bronze Border and Charcoal Round Top Edging

Note: New Regatta DUO is a pack that has Large and Jumper blocks combined in a 2:1 ratio.



Silver Haze (TRIO shown)



Rustic Bronze (TRIO shown)



Autumn Gold (TRIO shown)



Combining Delta with Omega is a great way to create a fresh, contemporary new look

Large format block paving for a modern aesthetic

Designed to build on the success of the popular Omega range, Delta paving is designed around the same ratio as Omega but offers a 30% greater surface area, giving a fresh, modern aesthetic to this new range as well as making it quicker and easier to install.

Delta paving is available in three of our most popular colours making it an ideal choice for use on driveway approaches to all types of home.

- ✓ Large format block paving
- ✓ 50mm thickness
- ✓ Can be integrated with Omega paving for edge detailing and patterns
- ➔ See page 104 for all product information



Delta and Omega Autumn Gold combination




Brindle



Silver Haze



Autumn Gold



The wide range of colours offers endless design scope

Omega Paving is extremely popular, partly due to the range of three thicknesses, making it suitable for most projects. Its modern lines blend with almost any environment and develop a mature character over time.

Use Omega Paving with complementary kerbs, such as the High or Drivestyle Kerb, to create functional and attractive boundaries.

- ✓ Paving
- ✓ Half Omega (made to order)
- ✓ Bishops Hat (made to order)
- See page 104 for all product information
- Omega is also available as a Permeable Paving range, page 84



Omega Brindle and Charcoal Edging



Brunt Oak



Red



Brindle



Charcoal



Buff



Natural



Autumn Gold



Alpha Flow

The popularity of our Alpha Antique rustic multi sized paving, now combined with permeability benefits.

- ✓ Paving
- ✓ Permeable Chippings
- See page 100 for all product information



Alpha Flow Charcoal




Brindle



Charcoal



Autumn Gold



Omega Flow

Omega Flow offers an excellent solution for permeable domestic driveways.

- ✓ Paving
- ✓ Permeable chippings
- See page 104 for all product information

Watch just how Omega Flow works... scan the QR code



Omega Flow Charcoal



Charcoal



Natural



Burnt Oak



Brindle



Autumn Gold

Kerbs

In addition to our range of driveway paving products we also offer a wide range of concrete kerbs which will complement your new driveway - perfectly.

→ See pages 105 for all product information



High Kerb Autumn Gold



Alpha Kerb Charcoal



Mobility Kerb Charcoal



Rustic Kerb Charcoal



Aura Kerb Silver Fleck



Drivestyle Kerb Charcoal

Garden edging

Edging plays an essential part in your garden, performing a practical function of separating areas whilst neatly finishing flower beds.

Choose from the following edgings:

- ✓ Round Top
- ✓ Scallop
- ✓ Rope Top
- ✓ Flat Top

→ See page 98 for all product information

What edgings can do for you

- ✓ Create boundaries between areas
 - ✓ Prevent different materials from mixing
 - ✓ Provide a clean edge
 - ✓ Protect plants
 - ✓ Add individuality to your design
- See page 98 for all product information



Rope Top edging Charcoal



Scallop edging Buff



Round Top edging Buff

Product information

This section contains a wealth of useful information on understanding and choosing your paving. It also provides all the product details you'll need for your project.





Product information

Understanding paving colours	92
Natural stone	94
Flag paving	96
Edgings	98
Accessories	99
Decorative Aggregates	99
Block paving	100
Kerbs	105

Further information

How to install a patio	108
How to install a drive	110
Sustainability	112
Responsible sourcing	113
Brett and the community	114
Additional information	115

Understanding paving colours

Get your first impression through photos but always choose from actual samples.

Here is a quick overview to help understand and choose the correct colour and the different variations you may encounter. It's great to look at photography but essential to choose by seeing a few samples.



Get samples to be colour-sure

You can quickly and easily obtain a product sample in your desired colour from either your Brett Approved Installer or your local Brett stockist. If you don't know who this would be we have a handy 'Find a Stockist' feature on our website.

The sample will give you a good guide as to how your product will look once installed. However, variance in colour is still possible across our product range due to a range of different factors:

- i. All concrete products are manufactured from a mixture of sand, cement, aggregate and pigment which can give variations in colour mix shades from batch to batch and site to site.
- ii. Natural Stone products will vary in colour depending upon where it is quarried from and how the stone is processed prior to arriving with you.

These variations are impossible to prevent but do bring character to your paving; without these variations a paved driveway or patio would look very dull and lifeless and uninteresting.

When you choose a colour from a photograph there are many factors that can change how the product looks: what time of day the photograph was actually taken; climatic conditions and the printing of the photography in brochures – can all cause variations.

How colours can appear differently

This section is intended to explain how you should view colours when you are selecting the best one for you. Let's start by looking at two images showing the same colour (Silver Haze) at two different locations, shot at different times of day, and showing different product types.

The images illustrate how colours can differ due to climatic conditions, but also how the different manufacturing processes and finishes involved can influence appearance – for instance, Regatta TRIO has a riven surface to give a more natural aesthetic, whilst Beta has a smooth surface – all of these factors can alter the appearance of colour.

Getting to know Brett colours

Block paving is a man made product and is available in two generic types as follows:

Single colours

These are the easiest to get to grips with. Each single colour product uses a single pigment to colour the concrete it's made from, or, in the case of 'Natural', no pigment at all which means it can vary the most in terms of colour depending upon the aggregates used in its manufacture.

The single colour products available from Brett Landscaping are Natural, Charcoal, Buff and Red.

Multi-colours

Any other colour from the Brett Landscaping concrete paving range will be a multi-coloured product, these all use more than one pigment within the manufacturing process to get the ideal colour mix. Some of our products, for example Aura, also have a sparkle in the aggregate to complement the colour blending.

These colours go randomly into multi-colours; for example, the ever popular Brindle is a mixture of red and charcoal pigments as shown below.

If we look more closely, we can see that the result of the manufacturing process is blocks that vary from one end of the spectrum through to the other. Here we can clearly see four distinct colour mixes.

Typically, each pack will include a random selection of these colour mixes. Packs can visually look quite different when they arrive on site, but once mixed together, the result is a naturally good looking, multi-coloured driveway.

Because of these facts, when getting samples of a 'multi-colour' product it is imperative to get more than one block (a minimum of three is recommended for the final decision maker).

Such colour mixing has more variations when the paving block colour has three pigments randomly placed in it.

Natural Stone

It is far more difficult to be exact when it comes to defining colours within any naturally occurring material because there are so many interacting elements in the multi-million year process by which the material is formed.

Broadly speaking there are three types of natural stone:

- 1 Sedimentary rocks including Sandstone and Limestone.
- 2 Igneous rocks such as Granite.
- 3 Metamorphic rocks such as Quartzite and Slate.

Igneous rocks tend to be very dense and uniform in appearance, making them ideal for applications where consistency is essential – for example to complement sharp modern designs.

In contrast, sedimentary and metamorphic rocks have far more colour variations in both colour and texture; for instance naturally occurring Iron Oxides which generally provide the red/brown colours found in a natural sedimentary stone product such as Sandstone.

These minerals can create veins which run through a rock and create amazing patterns. This can be further enhanced by fossil deposits – as frequently seen within Fossil Mint – which add further interest to an area paved with natural stone.

These variations are not faults in the product but naturally occurring phenomena which give long lasting beauty to natural stone paving – a beauty that generally improves over time as the stone weathers in to its surroundings.

Across the range of Brett Natural Stone paving the other factor which can impact upon colour is the effect of processing; for example looking at the Midnight Storm Quartzite within our Elite and Style ranges the appearance is dramatically changed between a polished stone and a textured stone.

These variations can be used to create amazing designs where the differences can be used to provide dramatic highlights and contrasts within a paved area.

Both colours present
but segregated

All red with no
charcoal visible

All charcoal with
no red visible

A complete
blend resulting
in a purple colour

Natural veining

Fossil inclusions

Browns

Natural mineral
markings

Greens

Yellows

Bufs



Product information

All dimensions quoted are nominal and are for guidance only. Actual sizes of individual units will vary as will joint widths upon installation. Coverage figures below assume a nominal 10mm joint.


Elite Stone

The following product data includes Flamed, Textured, Tumbled and Polished Elite Stone. These products are available as standard in the colours shown above.

Elite Stone Patio Pack

Available in all Elite Stone types.

Flag type	Size (mm)	No.	Area (m ²)
A	900 x 600	13	15.37
D	600 x 600	13	
F	600 x 300	13	
K	300 x 300	9	




Other Elite Stone products

Flag type	Size (mm)	No.	Area (m ²)
Polished Plank	900 x 150	64	9.32
	210 x 140	160	
Tumbled Setts	140 x 140	160	11.64
	105 x 140	160	

Circle with Corner Pack

Available in Elite Tumbled only.
6.15m² per pack.




Style Stone

The following product data includes Limestone, Granite, Quartzite and Brazilian Slate. These products are available as standard in the colours shown above.

Style Stone Patio Pack

For Limestone, Brazilian Slate and Granite.


Flag type	Size (mm)	No.	Area (m ²)
A	900 x 600	13	15.37
D	600 x 600	13	
F	600 x 300	13	
K	300 x 300	9	



1xD and 1xK flag not used


Style Stone Quartzite (only) Patio Pack

Flag type	Size (mm)	No.	Area (m ²)
Q	600 x 400	16	12.17
R	400 x 400	32	
S	400 x 200	16	
T	200 x 200	32	




Circle with Corner Pack

Available in Limestone and Brazilian Slate. 6.15m² per pack.



Other Style Stone products

Flag type	Size (mm)	No.	Area (m ²)
Granite Plank	900 x 150	64	9.32
Granite Setts	100 x 100	700	8.47




Creative Stone

These products are available as standard in the colours shown above.

Creative Stone Patio Pack

Available in all Creative Stone colours.

Flag type	Size (mm)	No.	Area (m ²)
A	900 x 600	13	15.37
D	600 x 600	13	
F	600 x 300	13	
K	300 x 300	9	




1xD and 1xK flag not used

Creative Stone Small Patio Pack

Available in all Creative Stone colours.


Flag type	Size (mm)	No.	Area (m ²)
A	900 x 600	6	7.18
D	600 x 600	6	
F	600 x 300	6	
K	300 x 300	5	



1xF flag not used

Circle with Corner Pack

Available in all Creative Stone colours. 6.15m² per pack.



Other Creative Stone products

Available in all Creative Stone colours.

Flag type	Size (mm)	No.	Area (m ²)
A	900 x 600	28	15.54
D	600 x 600	40	14.88
F	600 x 300	85	16.07



Smart Stone


The following product data includes Limestone and Sandstone Smart Stone.

This product is available as standard in the colours shown above.

Smart Stone Patio Pack

Available in all Smart Stone colours.

Flag type	Size (mm)	No.	Area (m ²)
A	900 x 600	13	15.37
D	600 x 600	13	
F	600 x 300	13	
K	300 x 300	9	



1xD and 1xK flag not used



Brett is committed to Ethical Trading – for more information, please see page 113 or visit www.brettpaving.co.uk




Porcelain

This product is available as standard in the colours shown above.



Flag type	Size (mm)	No.	Area (m ²)
Stone effect	1200 x 400	48	23.04
Stone effect	600 x 600	64	23.04
Timber effect	1200 x 400	48	23.04


Stone effect - Autumn Dawn, Silver Moon, Night Sky
Timber effect - Vintage Oak, Driftwood



Lugano

This product is available as standard in the colours shown above.

Flag type	Size (mm)	No.	Area (m ²)
	600 x 600	26	9.68
	450 x 450	56	11.85



Varano



This product is available as standard in the colours shown above.


Flag type	Size (mm)	No.	Area (m ²)
Ground 	600 x 300	24	4.54
Textured 	600 x 300	24	4.54
Striped 	600 x 300 (made to order)	24	4.54



Chaucer



This product is available as standard in the colours shown above.


Flag type	Size (mm)	No.	Area (m ²)
	600 x 600	26	9.68
	450 x 450	56	11.85



Rochester Brick

This product is available as standard in the colour shown above.

Flag type	Size (mm)	No.	Area (m ²)
	450 x 450	48	10.16
	450 x 225	48	5.19




Bronte

These products are available as standard in the colours shown above.

Bronte Patio Pack

Flag type	Size (mm)	No.	Area (m ²)
D	600 x 600	7	7.61
E	600 x 450	8	
F	600 x 300	6	
G	450 x 450	4	
K	300 x 300	8	



Bronte single size packs

These products are available as standard in the colours shown above.


Flag type	Size (mm)	No.	Area (m ²)
D	600 x 600	32	11.91
E	600 x 450	64	17.96
F	600 x 300	64	12.10
G	450 x 450	64	13.54
K	300 x 300	64	6.15
Stepping stone	300 dia.	28	–



Bronte Accessories


Bronte Full Circle Pack

2.69m² per pack.



Bronte Half Circle Pack

4.84m² per pack.



Bronte Full Circle Corner kit

2.02m² per pack.



Garden Walling

The Garden walling range is a direct match for Bronte colours.

Type	Size (mm)	No.	Face area (m ²)	Linear (m)
Large block	300x160	64	3.37	–
Medium block	300x75	128	3.37	–
Small block	200x75	128	2.28	–
Coping	600x150	60	–	36.6




Canterbury

This product is available as standard in the colours shown above.

Canterbury Patio Pack

Flag type	Size (mm)	No.	Area (m ²)
D	600 x 600	9	5.63
F	600 x 300	8	
K	300 x 300	8	


Canterbury 3 size pack



1xD flag not used








Canterbury Old Cotswold



Quorndon



These products are available as standard in the colours shown above.

Flag type	Size (mm)	No.	Area (m ²)
	600 x 600	25	9.30
	600 x 300	25	4.73
	450 x 450	50	10.58
	300 x 300	50	4.80



Stamford



These products are available as standard in the colours shown above.

Flag type	Size (mm)	No.	Area (m ²)
	600 x 600	32	11.91
	450 x 450	64	13.54



Broadway Economy

These products are available as standard in the colours shown above.


Flag type	Size (mm)	No.	Area (m ²)
	600 x 600	30	11.91
	450 x 450	60	13.54

Edgings

Rope Top Edgings

Available in: Charcoal, Terracotta and Brindle.
580 x 50 x 150mm (h)


No.	Lin. m
42	25.24



Scallop Edgings

Available in: Buff and Natural.
600 x 50 x 150mm (h)


No.	Lin. m
48	28.80



Flat Top Edgings

Available in: Charcoal and Brindle.
600 x 50 x 150mm (h)

No.	Lin. m
48	28.80



Round Top Edgings

Available in: Charcoal, Brindle, Buff and Natural
600 x 50 x 150mm (h)

No.	Lin. m
48	28.80



Decorative aggregates

All decorative aggregates are available in both mini bags and bulk bags.

Product	Grade	Coverage (kg/m ²)
Natural Slate	40	62.5
Plum Slate	40	62.5
Green Slate	40	62.5
Red Granite	14	75
Green Granite	14	75
Pearl Spar	11	70
Cotswold Stone	20	75
Canterbury Spar	11	60
Havana Gold	20	70
Beach Pebbles	40	55
Honey Gold	10	70



Accessories

Permeable Chippings for Block Paving

Permeable Chippings have an angular shape and are essential for installations of permeable paving. Permeable Chippings are used to fill in the large voids between permeable blocks to ensure a strong joint.

When used in Aura block paving, use Permeable Chippings, then top up with jointing sand (this is not permeable).

Permeable Chippings coverage per 20kg

Block paving thickness	coverage (m ²)
60mm Permeable Paving	= 3.2
80mm Permeable Paving	= 2.4
Aura Rectangular Block Patterns	= 5.3
Aura/Circles/Fleur de Lys Patterns	= 4.0

Available in maxi bags only.

Block Paving Jointing Sand

Kiln Dried Sand is used for filling joints on block paving creating a close and tight bond. The coverage is dependent on the thickness of the block paving.

Jointing sand coverage per 20kg

Block paving thickness	coverage (m ²)
50mm	approx. 6.1
60mm	approx. 4.5
80mm	approx. 3.5

Available in maxi bags only.



Alpha

Alpha Antique single size packs

These products are available in Autumn Gold, Burnt Oak, Brindle, Silver Haze and Charcoal.

Block type	Size (mm)	Thickness (mm)	No.	Area (m ²)
Small (68 per m ²)	105x140	50	732	10.76
		60	702	10.32
		80	480	7.06
Medium (51 per m ²)	140x140	50	552	10.82
		60	528	10.35
		80	360	7.06
Large (34 per m ²)	210x140	50	368	10.82
		60	352	10.35
		80	240	7.06
Jumper (17 per m ²)	280x210	60	168	9.88

See www.brettpaving.co.uk for laying patterns.



Alpha Antique Brindle with High Kerb Charcoal

Alpha Flow single size packs

Available in Brindle, Charcoal and Autumn Gold.

Block type	Size (mm)	Thickness (mm)	No.	Area (m ²)
Small (68 per m ²)	105x140	60	702	10.32
		80	510	7.50
Medium (51 per m ²)	140x140	60	528	10.35
		80	384	7.53
Large (34 per m ²)	210x140	60	352	10.35
		80	256	7.53

Alpha TRIO mixed size packs

Available in Brindle, Autumn Gold, Silver Haze and Rustic Bronze

Thickness (mm)	Size (mm)	No.	Area (m ²)
50mm	105 x 140	132	11.64
	140 x 140	198	
	210 x 140	198	
60mm	105 x 140	108	9.52
	140 x 140	162	
	210 x 140	162	

Alpha Circle Packs


Available in Autumn Gold, Burnt Oak, Brindle, Silver Haze & Charcoal, 50mm or 60mm.

Pack	Thickness (mm)	No.	Area (m ²)
Large Circle Pack (2.95m)	50	464	6.84
Large Circle Pack (2.95m)	60	464	6.84


Alpha kerbs

Available in Autumn Gold, Brindle and Charcoal.

Kerb type	Size (mm)	No.	Lin. m	No. lin. m
Alpha	125x100x125	270	27	10



Rustic	200x100x150	168	16.8	10
--------	-------------	-----	------	----




A full set of accessories, including corners and radials, is available.

Rustic and Alpha Antique Kerb

- ✓ Two kerb profiles for any application
- ✓ Tumbled finish for traditional look
- ✓ Multi profile options using the same unit
- ✓ Full set of corners and radials available
- ✓ Droppers and transitions available

More patterns are available at
www.brettpaving.co.uk



Beta

These products are available in Autumn Gold, Burnt Oak, Brindle, Silver Haze and Charcoal.

Beta single size packs

Available in all colours.

Block type	Size (mm)	Thickness (mm)	No.	Area (m ²)
Small	105x140	60	672	9.88
(68 per m ²)		80	432	6.35
Medium	140x140	60	504	9.88
(51 per m ²)		80	324	6.35
Large	210x140	60	344	10.12
(34 per m ²)		80	232	6.62
Jumper	280x210	60	156	9.17
(17 per m ²)				

See www.brettpaving.co.uk for laying patterns.

Beta TRIO* mixed size packs

Available in Autumn Gold, Silver Haze and Rustic Bronze.

Location and Thickness (mm)	Size (mm)	No.	Area (m ²)
Barrow	105 x 140	104	
60mm	140 x 140	156	9.20
	210 x 140	156	
Cliffe	105 x 140	108	
60mm	140 x 140	162	9.52
	210 x 140	162	
Poole	105 x 140	120	
60mm	140 x 140	120	9.41
	210 x 140	180	

*Colour variation compared to standard Beta may occur, due to regional manufacture

Beta Circle Pack

Available in Autumn Gold, Burnt Oak, Brindle, Silver Haze and Charcoal.

Pack	Thickness (mm)	No.	Area (m ²)
Large Circle Pack (2.95m)	60	464	6.84

Lugano


These products are available as standard in the colours shown above.

Lugano single size packs

Block type	Size (mm)	Thickness (mm)	No.	Area (m ²)
Small	105x140	80	420	6.17
(68 per m ²)				
Medium	140x140	80	336	6.59
(51 per m ²)				
Large	210x140	80	224	6.59
(34 per m ²)				

Lugano TRIO mixed size packs


Thickness (mm)	Size (mm)	No.	Area (m ²)
60mm	105 x 140	108	
	140 x 140	108	8.47
	210 x 140	162	



Laying patterns

For Alpha, Beta and Lugano block paving.

3 size random stretcher course




Example shown suitable for Alpha, Beta and Lugano.

Requires per m²:

- 16 no. Small (105 x 140mm)
- 16 no. Medium (140 x 140mm)
- 16 no. Large (210 x 140mm)

3 size random herringbone




Example shown suitable for Alpha, Beta and Lugano.

Requires per m²:

- 16 no. Small (105 x 140mm)
- 16 no. Medium (140 x 140mm)
- 16 no. Large (210 x 140mm)

4 size random



Example shown suitable for Alpha and Beta.

Requires per m²:

- 9 no. Small (105 x 140mm)
- 13 no. Medium (140 x 140mm)
- 13 no. Large (210 x 140mm)
- 4 no. Jumper (210 x 280mm)

More patterns are available at
www.brettpaving.co.uk



Aura

These products are available as standard in the colours shown above

Aura single size packs

Block type	Size (mm)	Thickness (mm)	No.	Area (m ²)
Stone	171x114	60	385	7.50
(50 per m ²)				
Square Stone	114x114	60	539	7.01
(75 per m ²)				


Aura Circle Pack

Block type	Size (mm)	Thickness (mm)	No.	Area (m ²)
Circle Pack	730 radius	60	143	1.67

Aura kerb

Available in Burnt Fleck, Silver Fleck and Bronze Fleck.

Block type	Size (mm)	Thickness (mm)	No.	Lin. m
Aura	125x100	125	270	27




- ✓ Tumbled finish for traditional look
- ✓ Multi profile options using the same unit
- ✓ Full set of corners and radials available
- ✓ Aggregate sparkles to match the Aura paving



Laying patterns

For Aura block paving.

Victorian Weave




Example shown suitable for Aura.

Requires per m²:

- 19 no. Square Stone
- 38 no. Stone

Herringbone




Example shown suitable for Aura.

Requires per m²:

- 50 no. Stone

Aura Pattern



Example shown suitable for Aura.

Requires per m²:

- 30 no. Stone
- 30 no. Square Stone

More patterns are available at
www.brettpaving.co.uk



Regatta DUO and TRIO

These products are available as standard in the colours shown above

Regatta DUO mixed size packs

Available in Autumn Gold, Silver Haze and Rustic Bronze

Thickness (mm)	Size (mm)	No.	Area (m ²)
Barrow 60mm	200 x 133	160	8.51
	266 x 200	80	
Cliffe 60mm	200 x 133	160	8.51
	266 x 200	80	
Poole 60mm	200 x 133	160	8.51
	266 x 200	80	

Regatta TRIO mixed size packs

Available in Autumn Gold, Silver Haze and Rustic Bronze

Thickness (mm)	Size (mm)	No.	Area (m ²)
Barrow 60mm	100 x 133	104	8.32
	133 x 133	156	
	200 x 133	156	
Cliffe 60mm	100 x 133	108	8.64
	133 x 133	162	
	200 x 133	162	
Poole 60mm	100 x 133	120	8.50
	133 x 133	120	
	200 x 133	180	


Regatta Circle Pack

Pack	Thickness (mm)	No.	Area (m ²)
60mm Large Circle Pack (2.95m)	60	464	6.84

Laying patterns

For Regatta block paving.

Repeatable pattern




Example shown suitable for Regatta TRIO Cliffe and Barrow.

Requires per m²:

- 13 No. Small (100 x 133mm)
- 19 No. Medium (133 x 133mm)
- 19 No. Large (200 x 133mm)

Repeatable pattern




Example shown suitable for Regatta TRIO Poole..

Requires per m²:

- 15 No. Small (100 x 133mm)
- 15 No. Medium (133 x 133mm)
- 22 No. Large (200 x 133mm)

Pattern RD1




Example shown suitable for Regatta Duo.

Requires per m²:

- 18 No. Large (200 x 133mm)
- 9 No. Jumper (266 x 200mm)

Pattern RD2




Example shown suitable for Regatta Duo.

Requires per m²:

- 18 No. Large (200 x 133mm)
- 9 No. Jumper (266 x 200mm)

Pattern RTD1




Example shown suitable for combining Regatta DUO and TRIO (Cliffe and Barrow).

Requires per m²:

- 4 No. Jumper (266 x 200mm)
- 4 No. Small (100 x 133mm)
- 9 No. Medium (133 x 133mm)
- 19 No. Large (200 x 133mm)

Pattern RTD5



Example shown suitable for combining Regatta DUO and TRIO (Poole).

Requires per m²:

- 4 No. Jumper (266 x 200mm)
- 8 No. Small (100 x 133mm)
- 8 No. Medium (133 x 133mm)
- 20 No. Large (200 x 133mm)

More patterns are available at
www.brettpaving.co.uk




Delta

This product is available as standard in the colours shown above.

Delta single size packs

Block type	Size (mm)	Thickness (mm)	No.	Area (m ²)
Standard	266x133	50	288	10.19
(29 per m ²)				



Omega

This product is available as standard in the colours shown above.

Omega single size packs

Block type	Size (mm)	Thickness (mm)	No.	Area (m ²)
Standard	200x100	50	488	9.76
		60	404	8.08
		80	308	6.16

Omega Flow single size packs


This product is available as standard in Brindle, Burnt Oak, Autumn Gold, Natural and Charcoal.

Block type	Size (mm)	Thickness (mm)	No.	Area (m ²)
Standard	200x100	60	404	8.08
		80	308	6.16

Laying patterns


For Delta and Omega block paving.

90° herringbone




Example shown suitable for Delta.
Requires per m²:
• 29 No. Delta (266 x 133mm)

Stretcher course




Example shown suitable for Delta.
Requires per m²:
• 29 No. Delta (266 x 133mm)

Basket weave




Example shown suitable for Delta.
Requires per m²:
• 29 No. Delta (266 x 133mm)
(Recommended for patios only)

Mixed herringbone




Example shown suitable for Delta and Omega.
Requires per m²:
• 18 No. Delta (266 x 133mm)
• 18 No. Omega (200 x 100mm)

2:1 mixed herringbone




Example shown suitable for Delta and Omega.
Requires per m²:
• 14 No. Delta (266 x 133mm)
• 27 No. Omega (200 x 100mm)

Double herringbone




Example shown suitable for Delta and Omega.
Requires per m²:
• 18 No. Delta (266 x 133mm)
• 18 No. Omega (200 x 100mm)

45° herringbone




Example shown suitable for Omega.
Requires per m²:
• 50 No. Omega (200 x 100mm)

Mixed stretcher course



Example shown suitable for Omega.
Requires per m²:
• 50 No. Omega (200 x 100mm)

3 block cluster



Example shown suitable for Omega.
Requires per m²:
• 50 No. Omega (200 x 100mm)
(Recommended for patios only)

More patterns are available at
www.brett paving.co.uk

Kerbs



Drivestyle Kerb


No.	Lin. m	No. per lin m
270	27	10

Corners and Radials are sold individually in both Splay and Bullnose designs.

Lower profile design kerb system

- ✓ Non-tumbled finish for clean lines
- ✓ Multi profile options using the same unit
- ✓ Full set of corners and radials available
- ✓ Droppers and transitions available

Colours: Autumn Gold, Brindle, Charcoal, Red



High Kerb


No.	Lin. m	No. per lin m
168	16.8	10

Corners and Radials are sold individually in both Half batter and Bullnose designs.

High profile design kerb system

- ✓ Non-tumbled finish for clean lines
- ✓ Multi profile options using the same unit
- ✓ Full set of corners and radials available
- ✓ Droppers and transitions available

Colours: Autumn Gold, Brindle, Charcoal, Red




Mobility Kerb

No.	Lin. m	No. per lin m
216	21.6	10

The Brett Mobility Kerb has been designed to provide sufficient warning of a pavement edge for users with visual impairment whilst not creating a hazard for physically limited users. This low profile kerb system is ideal for use with our Beta paving range to create a trip-free environment for your outdoor paving.

- ✓ Good tactile feel for partially sighted people
- ✓ Selection of fittings for ease of design
- ✓ Ideal for shared space developments

Colours: Available in Brindle and Charcoal



Installation

Having got an idea for the look you want and the products you might use, the information in this section will help you onto the next stage if you have chosen to go down the Do It Yourself route.

Many Brett stockists can provide design help as part of their service and are able to advise on many aspects of your project. Find your local stockist today by visiting us at www.brettpaving.co.uk/wheretobuy

For more detailed information on our products or to find laying patterns and finishing touches, go to www.brettpaving.co.uk





How to lay a patio

No matter what your project is, or what materials you are using, if you have decided to do it yourself there are a number of factors you need to be aware of and important steps you need to take.

Here are some examples of the steps required to cover the most basic patio paving installation. If you need any further information on our products or installation call our Customer Services Team on 0845 60 80 570 or email landscaping@brett.co.uk

Materials and tools checklist

The key to starting off this style of project is the equipment, correct tools and materials for the job and having them all close to hand. Quantities of the following materials will vary depending on the size and sub-base requirements of your patio.

You will need essential personal protection equipment:
Gloves, Safety Goggles, Face Mask, Ear Protectors, Knee Pads and Safety Shoes.



Before you start...

Draw a simple plan of your home and garden, sketching where you would like areas to be paved. Once your plan has been finalised, lay out lengths of string to mark out the dimensions of your purposed patio in position. When you are happy with this, let the digging commence.

Step 1: Site preparation

Mark the pegs beforehand to indicate the depth and remember to allow for a gradual slope away from your property. Using the tape measure mark out the patio area. Check the corners, using a builders square. Removing topsoil is easily done using an edging iron and cutting the turf into manageable squares. Simply scoop with a spade and remove using a wheelbarrow and skip.



The excavated depth should be 150mm or 6 inches from the finished patio level. Measure the final depth of excavation using the pegs and strings.

Check the depth at the edge using a tape measure. Compact the soil with the Vibrating Plate Compactor and re-check the overall depths and slope of the area using the pegs and spirit level.

If you find soft spots in the soil, further excavation may be required. These spots can then be filled and consolidated with sub-base material.



Check all 90° corners and depths thoroughly before putting down the sub-base material.

When using excavation machinery please follow the manufacturer's guidelines including acceptable levels of exposure and in particular use ear protection.

Step 2: The sub-base

Having tipped the sub-base material into the laying area, rake into position to a consistent depth of 100mm or 4 inches.



Once the area is covered, check the depth using a spirit level, pegs and string line.

Compact the area using a Vibrating Plate Compactor, making sure the entire area has been compressed at least twice. Check again for any sinking areas. If this occurs, an extra depth of sub-base material should be considered.



Once the sub-base is smooth, flat and to the appropriate level, check the drainage slope with a straight edge and spirit level.

When using the vibrating plate machinery please follow all manufacturer's guidelines including acceptable levels of exposure and in particular use ear protection.

Hints & Tips: Arrange for material to be stacked on a dry base and allow enough room for mixing concrete and mortar.

NB. Paving products can be heavy. Assess the safest method of installing them.

Step 3:

Preparing the mix and laying paving flags

When preparing the cement mix, please avoid direct handling of cement, always cover your skin.

Either using the cement mixer or wheelbarrow and shovel, prepare a mortar mix of 5 parts building sand, 1 part cement and add water to create a doughy consistency.

To check this is correct use the 'snow ball' test, pick up a handful of mortar mix and squeeze into a ball, when you let go



the mix will retain its shape without oozing water or falling apart.

Starting in the corner, trowel a bed of mortar to cover the area intended for the first paving flag. The depth of the mortar bed should be approximately 35–40mm. Level off but ensure the mortar is not compact as you want the flag to sit within the mix about 10–15mm deep.

Remember when lifting and carrying paving units always consider the weight before attempting to lift. If it is heavy, get help. Take care not to trap fingers whilst handling paving units.

Lower the first paving flag into position, holding it diagonally will make it easier to lower it. Settle it cleanly into the mortar without sliding it about so a good bond forms between the mortar and paving flag.

Line up the paving flag with the string lines and gently tap it into the mortar using the rubber mallet.

Repeat the process, continuously checking against the string line. Also, use the spirit level to check the surface is at the correct level.

Check that no edges are standing up proud simply by running your hand over the joints. Ensure consistent gaps, ideally of 10–15mm between the slabs.

Leave the slabs for at least 24 hours so that the sand cement mix can set.



Hints & Tips: We also recommend that the paving flags are selected from different packs as it is being laid to ensure an even colour mix.

Step 4: Cutting

Great care is needed and it is essential to use equipment specially designed for this operation. Diamond disc cutters with water suppression are ideal. They are readily available at your local equipment hire store.

Check you are wearing good personal protective equipment for this activity.

Mark the paving flag surface with the intended cutting line for guidance. Place the paving flag on a platform and carefully saw using a diamond disc cutter.

When using cutting equipment please follow all manufacturer's guidelines including acceptable levels of exposure and in particular use eye protection.



Hints & Tips: Clean mortar spillage immediately to prevent staining and if possible joints should be pointed on a dry day.

Step 5: Pointing

You can either buy ready mix compound or, using the shovel and trowel, prepare a jointing mix of 5 parts building sand, 1 part cement and water to a damp, semi-dry consistency.



Firm it into the joints using the trowel and finish with the pointing iron, compacting the mix into the gaps and producing neat grooves.

Carefully remove any excess pointing material using the trowel and yard broom, ensuring no residue is left on the slab surface.

Other chemical jointing compounds are available, contact our Customer Services Team on 0845 60 80 570 for more information.

Materials

- Sub-base Material (MOT Type 1)
- Brett Building Sand
- Cement
- Washed Sharp Sand
- Paving Flags

Tools

- Trowel
- Pointing Iron
- String Line and Pegs
- Edging Iron
- Rubber Mallet
- Builders Square
- Rake
- Shovel
- Spirit Level
- Skip
- Wheelbarrow
- Pick axe
- Tape Measure
- Yard Broom
- Vibrating Plate Compactor
- Diamond Disc Cutter (Optional)
- Mini-Excavator (Optional)
- Cement Mixer (Optional)



How to lay block paving

The professionals make laying block paving look easy, but with the right materials and some manual work it is not quite the major undertaking that you may have first thought. Follow this simple step by step example guide to laying a non-permeable driveway.

Materials and tools checklist

The key to starting off this style of project is the equipment, correct tools and materials for the job and having them all close to hand. Quantities of the following materials will vary depending on the size and sub-base requirements of your patio.

You will need essential personal protection equipment: Gloves, Safety Goggles, Face Mask, Ear Protectors, Knee Pads and Safety Shoes.



Before you start...

Draw a simple plan of your home and garden, sketching where you would like areas to be paved. Once your plan has been finalised, lay out lengths of string to mark out the dimensions of your purposed patio in position. When you are happy with this, let the digging commence.

Step 1: Site preparation

Depending on the size of the area, using the shovel or mini excavator dig out to the advised level. This will depend on your existing surfaces, our Customer Services team will be able to advise as to the appropriate depth.



If you find soft spots in the soil further excavation may be required. These spots can then be filled and consolidated with sub-base material.

Remove all waste materials from the site using a wheelbarrow and skip.

When using excavation machinery please follow all manufacturers' guidelines including acceptable levels of exposure and in particular use ear protection.

Hints & Tips: Have an eye on the weather. Installing block paving is extremely difficult in the rain due to its effect on the sands and aggregates. Therefore plan ahead and, if rain is likely, protect large areas either with plastic sheets or even a gazebo.

Step 2: Edge restraints

When preparing mix, please avoid direct handling of cement, always cover your skin.



Using the cement mixer, mix 1 part cement and 6 parts ballast to create a concrete foundation for the edge restraint that is 100mm thick.

Ensure that the edge restraint unit that is to be placed on the foundation will sit at the required finished level using the string line and spirit level.

The edge restraint can either be a kerb unit or a thick paving block (at least 60mm). Mortar these units into the foundation using the trowel and rubber mallet and again using the concrete, form a haunch up at least half the block height.



Hints & Tips: Falls are crucial to traditional block paving. It should never be installed flat. Always ensure a gradient of at least 1 in 60 falling towards the drainage system and paving height that's always 150mm below the house damp proof course.

Step 3: The sub-base

Further to your specific requirements, apply the sub-base of MOT Type 1 with the rake and thoroughly compact using the vibrating plate compactor in layers of 50mm until your desired level is reached.

Apply a 50mm level of slightly damp, coarse sharp sand and compact down, again using the vibrating plate compactor, to an approximate depth of 35mm.

A further 20mm layer of sharp sand then needs to be raked on top and using the screeding rails and string line, levelled to the correct falls.



When using vibrating plate machinery please follow all manufacturer's guidelines including acceptable levels of exposure and in particular use ear protection.



Step 4: Installation

Remember when lifting and carrying paving units, always consider the weight before attempting to lift. If it is heavy, take care not to trap your fingers whilst handling the paving units.



Ideally starting from a right angle or straight edge, place your blocks on top of the laying course, ensuring that they sit 5mm proud of the finished level.

Following your desired laying pattern ensure that you pick blocks from three or more different packs at any one time in order to minimise the risk of colour patching.

Once all of the blocks are laid into position you will need to cut a number to complete the area. Cutting blocks is best done using a block splitter or diamond disc cutter. Wherever possible, always obtain water suppression cutting equipment.

When using cutting equipment please follow all manufacturer's guidelines including acceptable levels of exposure and in particular use eye protection.

Step 5: Finishing

Using the yard broom, brush the kiln dried sand into all of the joints and thoroughly compact, again using the vibrating plate compactor, ensuring that all of the blocks are at the desired finished level.



Subsequently top the sand and re-compact to ensure that no joints are left unfilled.

Please note, if you are using the Brett Aura or Classico range of paving blocks the Brett Permeable Chippings need to be applied in this finishing process.



Hints & Tips: Always keep a bag of kiln dried sand around after you've finished your job, as sand will come out of the joints in the initial life of the area. Regularly top up until it settles in the joints.

Materials

- Sub-base Material (MOT Type 1)
- Brett Building Sand
- Cement
- Washed Sharp Sand
- Paving Flags

Tools

- Trowel
- Pointing Iron
- String Line and Pegs
- Edging Iron
- Rubber Mallet
- Builders Square
- Rake
- Shovel
- Spirit Level
- Skip
- Wheelbarrow
- Pick axe
- Tape Measure
- Yard Broom
- Vibrating Plate Compactor
- Diamond Disc Cutter (Optional)
- Mini-Excavator (Optional)
- Cement Mixer (Optional)



Sustainability

Brett Landscaping work hard at improving your environment by providing a wide range of beautiful hard landscaping solutions. However, we also work hard at ensuring that this doesn't come at the cost of the wider environment.

Brett Landscaping are fully committed to managing our impact upon the environment and have a rigorous internal system to back this up.

However, you don't have to take our word for this – most of our commitments are independently audited and reported on annually.

You can find out far more at www.brettpaving.co.uk



Responsible product sourcing

Brett Landscaping is committed to a policy of no harm within our supply chains.

We ensure that we achieve this through a number of auditable processes.

1 Responsible sourcing

Brett Landscaping was one of the first manufacturers within our sector to achieve certification to the BES 6001 Responsible Sourcing of Construction Products standard which evaluates how well we perform as a business.

A key part of this is that we report annually to all of our stakeholders via our website; if you want to see how well we performed please visit :

www.brettpaving.co.uk.



2 Carbon reduction

Since 2011 Brett Landscaping has been actively measuring our Carbon usage across all of our hard landscaping products. This commitment ties in to our British Precast Concrete Federation Sustainability Charter pledge to ensure that we reduce our year-on-year Carbon usage thereby ensuring that we minimise our impact upon the world around us.

reducing
CO₂

3 British Precast Concrete Federation Sustainability Charter

Brett is a signatory to the BPCF sustainability charter. The key value of the Charter is to guide companies towards focusing on the issues that have the greatest impacts on economic viability, social progress and environmental performance in the precast sector.



Ethical Trading

Some of our products are sourced from outside the UK. In order to ensure ethical trading conditions throughout our supply chain, we have become an active member of the Ethical Trading Initiative (ETI).

We are progressively adopting the ETI Base Code which provides a moral framework for the treatment of workers across the world.

We require all of our suppliers to be aware of and to apply the ETI Base Code to their own suppliers.

www.ethicaltrade.org

The Ethical Trading Initiative Base Code

- 1 Employment is freely chosen.
- 2 Freedom of association and the right to collective bargaining are respected.
- 3 Working conditions are safe and hygienic.
- 4 Child labour shall not be used.
- 5 Living wages are paid.
- 6 Working hours are not excessive.
- 7 No discrimination is practised.
- 8 No harsh or inhumane treatment is allowed.



Brett and the Community

As a responsible manufacturer Brett Landscaping also believe in giving back to the community and will actively support projects with products, time and money.

Over the past few years, we have engaged with projects as diverse as the community initiative at Whittington Cricket Club and supplying product and assistance to their new garden, through to the Southroyd Primary School courtyard garden, where we supplied textured flag paving so that children from the area could try their hand at being the Brett gardener of tomorrow.

Each year, we are happy to supply product and time into supporting worthwhile community initiatives.

If you would like Brett to get involved with a project that you are considering, please get in touch via our website.



2015 Projects

Here are just some of the projects which we have supported in 2015:

- Multiple Sclerosis Therapy Centre: Kent
- Westgate Community Centre: Canterbury
- Southroyd Primary School: Yorkshire
- Military Veterans Housing Project: Manchester
- Sileby Town FC: Leicestershire

Supporting our industry

In addition to community projects, we are also actively involved within our industry. Brett team members actively contribute in a wide variety of roles across industry bodies.

We are also proud to support both BALI and the Landscape Institute in their annual awards helping to promote the very best in hard landscaping and make our open spaces beautiful areas that everyone can enjoy.



External certification



ISO 9001 QUALITY MANAGEMENT SYSTEM
BS EN ISO 9001: 2008 Quality Management System ensures consistency of both our product

and also service

levels ensuring your satisfaction.



ISO 14001 ENVIRONMENTAL MANAGEMENT SYSTEMS
BS EN ISO 14001: 2004

Environmental Management

System is designed to ensure that we minimise how Brett operations negatively affect the environment and continually improve our performance.



OHSAS 18001 HEALTH AND SAFETY MANAGEMENT
OHSAS 18001 Health and Safety Management System provides us with a mechanism to provide

a demonstrably sound occupational health and safety performance monitoring system for all Brett employees.



CE MARKING

All Brett Landscaping products are CE marked to show compliance against the relevant standard. This does more than

just provide full compliance with European regulations – it allows you as the consumer to see exactly what you are buying and compare one manufacturers products directly with another in terms of its performance.



built on relationships

Brett Landscaping
Sibley Road, Barrow upon Soar,
Leicestershire LE12 8LX
Tel 0845 60 80 577
www.brettpaving.co.uk

Additional information

Brett is continually looking to make improvements in the product range and therefore any information such as dimensions and weights are subject to change. Customers should always check with a local stockist that they are using the most current product information.

Find your local stockist by visiting www.brettpaving.co.uk or call 0845 60 80 577.

Colour swatches in this brochure are as accurate as printing allows, however products may vary. This is why we recommend you look at samples and if possible try to see some product laid.

SUITABILITY

Products which are less than 50mm thick are not suitable to run cars on. Only products of 50mm or more are suitable for driveway installation.

CONSIDERATIONS TECHNICAL

Efflorescence: Efflorescence is a temporary salt residue that can occur on all concrete products in their initial life. It can also occur in natural stone products as a result of the cementitious bedding material.

The salt masks the colour of the product and is often mistaken for fading. The best course of action is to leave the paved area to weather over time and efflorescence will usually disappear.

Differential curing: Dark patches occasionally appear on the surface of garden products. This is known as differential curing and is caused by varying moisture levels within the flag drying at different rates. Like efflorescence, given time and the natural weathering process such patches will tone down and become less visible.

Porosity: Concrete continues to cure for many years after manufacture. Whilst this happens, and usually only during its initial life, a level of porosity may exist where some product retains water giving a damp appearance. This will disappear as the concrete continues to harden and the product dries out.

Aggregate contaminants: Very rarely concrete may be affected with Iron Pyrites and/or Lignite. These are both the result of naturally occurring constituents within the product raw materials which may result in localised discolouration of the surface of an individual unit. This phenomenon will not normally affect the performance of the product.

Sealants: Sealers can help protect and enhance your investment. Before you choose to buy one, make sure you are aware of the following. Sealers may trap potential efflorescence and other forms of discolouration that can occur from time to time, making them almost impossible to remove.

On rare occasions mineral deposits within natural stone also react with sealants causing discolouration.

We recommend you wait 12–18 months before sealing. This will allow any potential discolouration to be exposed and enable you to remove it. Before sealing, make sure that the paving is thoroughly cleaned and any joints are filled. Prior to applying to the whole installation, test in a small inconspicuous area.

Surface marking: Some products within the range are deliberately distressed via a tumbling process in order to give them their aged aesthetic. Tumbling can leave a dust on the surface of the product that should significantly reduce with the natural ageing process.

The instances mentioned above are not covered under any product guarantee provided by Brett. For more information on any of the topics above, please contact our Customer Services on 0845 60 80 570.

The colours in concrete paving come from pigmentation placed into the product during production. Products may have 2 or 3 different pigments added to create the subtle and very attractive colour tones. When installed these variations appear more uniform over a large area.

Aged products: such as Alpha Antique and Aura have been distressed with varying production techniques. The distressing process by its very nature creates a random aesthetic. This variation is deliberate and gives the appeal of the product range.

ORDERING

To order Brett product contact your nearest Brett stockist, call 0845 60 80 577 or visit www.brettpaving.co.uk

If samples have been acquired from a Brett stockist, we strongly recommend ordering from the same stockist.

All dimensions quoted in Brett literature are nominal and are for guidance only. Actual sizes of individual units will vary, particularly on garden products. Most sq.m. coverage figures assume a nominal 10mm joint is used between all garden products. If you are having difficulty quantifying the product you require, please call our Customer Services on 0845 60 80 570.

The total quantity required should ideally be ordered and delivered at the same time to reduce the risk of product variation.

DELIVERY & INSPECTION

In the unlikely event of products arriving in a less than satisfactory condition, please refer to your stockist immediately with product and batch code details that are printed on the packaging.

Any suggestion of non-conformity must result in the complaint being registered and the product not being installed. Responsibility for costs incurred for uplifting and relaying defective product may be prejudiced if the defect should have been apparent before installation.

PLANNING PERMISSION

Legislation on hard landscaping changes around your property may require a planning application. The responsibility to comply lies with the homeowner.

HEALTH & SAFETY

Hard landscaping products can be hazardous, especially when lifting, cutting, drilling or abrading. Always carry out a risk assessment and apply the appropriate precautions to help avoid the risk of injury to yourself or others.

INSTALLATION

Brett products should be installed to relevant European standards where appropriate. Where products fall outside the scope of such standards, Brett best practice installation techniques are recommended. For any queries on installation methods please call our Customer Services on 0845 60 80 570.

Each manufacturing production run of a specific product (or batch) will have its own unique characteristics. Minimising the number of batches will help reduce product variation. Products should be laid from a number of packs at the same time. In the case of paving three packs should be mixed for single colours, five in the case of multi-coloured product. Ideally, product should also be mixed by being taken from vertical stacks rather than in layers of the same pack.

Any garden & natural stone products supplied may incur joint widths of differing sizes depending on the pattern they are installed in. We recommend they are dry laid before they are actually bedded to allow joint widths to be adjusted. This is also important for circles, octagons and corner kits.

AFTERCARE

All pavements should be subjected to a regular maintenance regime. For more details on the appropriate course of action, please see the 'Essential Maintenance Guide' on brettpaving.co.uk.

Brett Landscaping 125/0116

More information on Brett as well as our products can be found at www.brettpaving.co.uk



Brett Landscaping

Sileby Road
Barrow upon Soar
Leicestershire LE12 8LX

Phone: 0845 60 80 577
Fax: 0845 60 80 575
Email: landscapinginfo@brett.co.uk

www.brettpaving.co.uk