

INDIAN SANDSTONE

Paving & Circle



SCAN PAGE

Indian Sandstone, Buff Multi (BM)

Marshall's Standard Indian Sandstone is a budget range of natural stone in calibrated or variable thickness. Coordinating circles also available



Indian Sandstone,
Grey Multi (GM)



Indian Sandstone,
Buff Multi (BM)



Indian Sandstone,
Brown Multi (BRM)

	Sizes mm (nominal)	No. item/ pack	Weight (kg/each)	Weight (kg/pack)	No. /m ²	m ² /pack	Colours	
Standard Indian Sandstone								
Calibrated 22mm Thickness	845 x 560	37	27.3	1010	2.1	17.5	BM	see website
	560 x 560	64	17.9	1150	3.2	20.1		
	560 x 275	128	8.8	v	6.5	19.7		
	275 x 275	128	4.5	580	13.2	9.7		
Thin 15-25mm Thickness	845 x 560	37	27.3	1010**	2.1	17.5	BRM, GM	see website
	560 x 560	64	17.9	1150**	3.2	20.1		
	560 x 275	128	8.8	1130**	6.5	19.7		
	275 x 275	128	4.5	580**	13.2	9.7		

**Slightly variable according to thickness

	Sizes mm (nominal)	No. item/ pack	Weight kg/each	kg/pack	m ² /pack	no/m ²	Colours	
Standard Indian Sandstone Brown & Grey – Thin 15-25mm								
15.2 sqm Project Pack	845 x 560	12	27.1	921	15.23	2.1	BRM, GM	see website
	560 x 560	12	17.9			3.2		
	560 x 417	12	13.4			4.3		
	560 x 275	13	8.8			6.5		
	275 x 275	13	4.3			13.2		
Standard Indian Sandstone Buff – Calibrated 22mm								
15.2 sqm Project Pack*	845 x 560	12	27.1	921	15.23	2.1	BM	see website
	560 x 560	12	17.9			3.2		
	560 x 417	12	13.4			4.3		
	560 x 275	13	8.8			6.5		
	275 x 275	13	4.3			13.2		

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.



CO₂ per m²



STANDARD



Marshall's



by Marshall's

	Sizes mm (nominal)	No. item/ pack	Weight (kg/pack)	Colours	m ² /pack	
2 Ring Circle Pack						
Calibrated	2840 dia	37*	380	BM	6.3	see website
Thin	2840 dia	37*	380	BRM	6.3	see website

*1 Centre stone, 12 first ring, 24 second ring

For diagrams and important installation guidance, see page 127

STANDARD BLOCK PAVING

Driveway



SCAN PAGE

Standard Block Paving, Bracken (BRA), edged with Charcoal (CH).
Installed by James Bird Landscapes Ltd., Sheffield



Standard Block Paving,
Brindle (BRI)



Standard Block Paving,
Red (R)



Standard Block Paving,
Charcoal (CH)



Standard Block Paving,
Bracken (BRA)



Standard Block Paving,
Sunrise (SR)



Standard Block Paving,
Buff (B)

- Budget block paving is better looking and more practical than asphalt or concrete driveways
- If you prefer a more premium quality block paving, consider Driveline 50 on pages 172-173

	Sizes mm (nominal)	No. item/ pack	Weight (kg/pack)	No. /m ²	Colours	m ² /pack	 kg CO ₂ per m ²
	200 x 100 x 50	488	1112	50	BR, BRA, CH, R, SR, B	9.76	see website



CO₂ per m²



STANDARD

For diagrams and important installation guidance, see page 187



TEXTURED UTILITY

Paving



Textured Utility Paving, Natural (N)



Textured Utility,
Buff (B)



Textured Utility,
Natural (N)

- One size and attractively textured, this is an ideal budget paving
- Why go for standard grey paving, when two colours mean more choice for the practical areas around the home
- A great starter paving for a low cost utility area

	Sizes mm (nominal)	No. item/ pack	Weight (kg/each)	Weight (kg/pack)	No. /m ² *	m ² /pack	Colours	
Paving	450 x 450 x 32	64	14.5	1058	4.9	13.0	B N	see website

*Assumes nominal 10mm joint width



CO₂ per m²



STANDARD

For diagrams and important installation guidance, see page 127

UTILITY





Paving



Utility Paving, Pendle, Buff (B)



SCAN PAGE

Utility Paving,
Richmond, Red (R)Utility Paving,
Pendle, Red (R)Utility Paving,
Richmond, Buff (B)Utility Paving,
Pendle, Buff (B)Utility Paving,
Richmond, Natural (N)Utility Paving,
Pendle Natural (N)

- Wherever practical, flat hardstanding is essential at a budget cost
- This is no-nonsense paving for utility areas
- Utility Paving is not recommended for decorative patio areas

	Sizes mm (nominal)	No. item/ pack	Weight (kg/each)	Weight (kg/pack)	No. /m ² *	Colours	 kg CO ₂ per m ²
Richmond	450 x 450 x 32	60	14.5	927	4.7	N, R, B	see website
	600 x 600 x 38	25	32	800	2.7	N, B	
Pendle	450 x 450 x 32	60	15	927	4.7	N, R, B	
	600 x 600 x 38	25	32	800	2.7	N, B	

*Assumes nominal 10mm joint width

CO₂ per m²

STANDARD

For diagrams and important installation guidance, see page 127

LEYBURN®

Paving



Leyburn Paving, Buff Blend (BB), edged with Driveline 50, Charcoal (CH)

- Leyburn is a rugged, hardwearing flag, ideal for a basic patio or utility area
- Available in two good looking colours
- Leyburn is the ideal product for those looking to trade up from a basic utility paving to something more attractive.



CO₂ perm²



STANDARD



SCAN PAGE

Leyburn Paving,
Buff Blend (BB)Leyburn Paving,
Weathered (W)

	Sizes mm (nominal)	No. item/ pack	Weight (kg/each)	Weight (kg/pack)	No. /m ² *	m ² /pack	Colours	
Paving	450 x 450 x 40	44	19	836	4.9	8.91	BB W	see website

*Assumes nominal 10mm joint width

For diagrams and important installation guidance, see page 127